

Title (en)

Method for forming a new stack after the removal of a completed stack in a stacking machine, especially one associated with a printer, and device for carrying out this method.

Title (de)

Verfahren und Vorrichtung zum Bilden eines neuen Stapels nach dem Abnehmen von einem fertigen Stapel, in einer, insbesondere einem Printer zugeordneten, Stapelbildungsmaschine.

Title (fr)

Procédé pour la formation d'une nouvelle pile après l'évacuation d'une pile achevée, dans une machine de formation de piles associée notamment à une imprimante et dispositif pour la mise en oeuvre de ce procédé.

Publication

EP 0388318 B1 19950118 (FR)

Application

EP 90400729 A 19900316

Priority

FR 8903560 A 19890317

Abstract (en)

[origin: EP0388318A1] The invention relates to a method for forming a new stack in a machine for forming zig-zag stacks from a flexible web. According to this method, the web (3) is broken along the transverse perforation line located between the last flap (60) of the formed stack and the first flap (72) of the new stack to be formed, the broken web (3) is advanced until the leading edge (73) of the first flap (72) reaches a position corresponding to its final position at the bottom of the new stack, the balance arm device (11) is stopped, the support table (47) is lowered with a view to removing the completed stack and a compressed-air cushion (71) is created, beneath the leading-edge zone (73) of the first flap (72), which forms a temporary support during the absence of the support table (47), the temporary support cushion is removed when the table (47) has returned into its working position and the balance arm device (11) is restarted. <??>The invention is useable downstream from a printer, for example a computer printer. <IMAGE>

IPC 1-7

B65H 45/101

IPC 8 full level

B65H 45/107 (2006.01); **B65H 45/101** (2006.01)

CPC (source: EP US)

B65H 45/1015 (2013.01 - EP US)

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0388318 A1 19900919; EP 0388318 B1 19950118; AT E117271 T1 19950215; CA 2011953 A1 19900917; DE 69016067 D1 19950302; DE 69016067 T2 19950614; ES 2069036 T3 19950501; FR 2644444 A1 19900921; FR 2644444 B1 19920417; JP H0323161 A 19910131; US 5062597 A 19911105

DOCDB simple family (application)

EP 90400729 A 19900316; AT 90400729 T 19900316; CA 2011953 A 19900312; DE 69016067 T 19900316; ES 90400729 T 19900316; FR 8903560 A 19890317; JP 6799990 A 19900317; US 49477790 A 19900316