

Title (en)

DRIVING STATION FOR A THREADING DEVICE IN A WEB-FED ROTARY PRINTING PRESS

Publication

**EP 038866 A3 19910821 (DE)**

Application

**EP 90105185 A 19900320**

Priority

DE 3909470 A 19890322

Abstract (en)

[origin: EP038866A2] At a driving station, as is used in a device for threading in material webs, which has a driving wheel (12) driven by a motor (14) and a transport wheel (10) in engagement with the latter, it being possible for said transport wheel (10) to be brought into positive engagement with a threading element (1) which is movable in a guide (6), the drive wheel (12) and transport wheel (10) are so arranged that the pitch circle tangent (17a) at their common contact point (17) forms with the pitch circle tangent (18a) at the contact point (18) of transport wheel (10) and threading element (1) an angle (  $\beta$  ) whose angle bisector (19) is inclined at an acute angle (  $\beta/2$  ) to the running direction of the threading element (1). Furthermore, the transport wheel (10) is mounted, so as to be movable against a force (F), at an acute angle (  $\alpha$  ) (likewise seen towards the running direction of the threading element (1)). The driving station according to the invention ensures a wear-free and jerk-free running-in, coupling and transporting of a threading element (1). <IMAGE>

IPC 1-7

**B65H 20/02; B41F 13/02**

IPC 8 full level

**B41F 13/06** (2006.01); **B41F 13/02** (2006.01); **B41F 13/03** (2006.01); **B65H 20/02** (2006.01); **B65H 23/18** (2006.01); **B65H 23/188** (2006.01)

CPC (source: EP US)

**B41F 13/03** (2013.01 - EP US)

Citation (search report)

- [A] EP 0038450 A1 19811028 - ROLAND MAN DRUCKMASCH [DE]
- [AD] DE 3505515 C2 19861211

Cited by

EP0544088A1; FR2709539A1; US5581908A

Designated contracting state (EPC)

CH DE FR GB IT LI SE

DOCDB simple family (publication)

**DE 3909470 C1 19900322**; DE 59004535 D1 19940324; EP 0388866 A2 19900926; EP 0388866 A3 19910821; EP 0388866 B1 19940209;  
JP H02282149 A 19901119; US 5029742 A 19910709

DOCDB simple family (application)

**DE 3909470 A 19890322**; DE 59004535 T 19900320; EP 90105185 A 19900320; JP 6449090 A 19900316; US 48623890 A 19900228