

Title (en)
METHOD FOR THE CONTROL AND REGULATION OF A COMBUSTION ENGINE

Publication
EP 0394216 B1 19921202 (DE)

Application
EP 90890118 A 19900417

Priority
DE 3912604 A 19890417

Abstract (en)
[origin: EP0394216A2] A method for the open-loop and closed-loop control of an internal combustion engine (1) in which a digital binary output signal (b) is calculated in a computing device as a function of operating variable signals, such as for example the engine speed (n), the accelerator position, the engine temperature etc., said calculated binary signal is converted into an actuation signal (s) which consists of pulses of a constant amplitude, the overall duration of the actuation signal within a clock period being proportional to the value of the binary signal and this actuation signal being used to control an electromechanical actuator. In this process, the actuation signal is divided up within each clock period depending on the value of the binary signal (b) into individual pulses whose overall duration is proportional to the value of the binary signal (b) and the individual pulses are distributed essentially evenly within each clock period. In addition, a device for carrying out the method is disclosed. <IMAGE>

IPC 1-7
F02D 41/34; F02D 41/36

IPC 8 full level
F02D 35/00 (2006.01); **F02D 41/30** (2006.01); **F02D 41/34** (2006.01); **F02D 41/36** (2006.01)

CPC (source: EP)
F02D 35/0007 (2013.01); **F02D 41/3005** (2013.01); **F02D 41/407** (2013.01)

Cited by
FR2703796A1; WO0229222A1; US10383631B2; US11382622B2

Designated contracting state (EPC)
AT BE CH DE ES FR GB IT LI NL SE

DOCDB simple family (publication)
EP 0394216 A2 19901024; EP 0394216 A3 19901205; EP 0394216 B1 19921202; AT E83045 T1 19921215; DE 3912604 C1 19901108; DE 59000525 D1 19930114; ES 2036411 T3 19930516

DOCDB simple family (application)
EP 90890118 A 19900417; AT 90890118 T 19900417; DE 3912604 A 19890417; DE 59000525 T 19900417; ES 90890118 T 19900417