

Title (en)  
**IMAGE FORMING METHOD AND IMAGE FORMING APPARATUS**

Publication  
**EP 0395061 A3 19910911 (EN)**

Application  
**EP 90107957 A 19900426**

Priority  
• JP 11100689 A 19890427  
• JP 18442189 A 19890719  
• JP 18442289 A 19890719

Abstract (en)  
[origin: EP0395061A2] An image forming method, including the steps of: developing an electrostatic image formed on an electrostatic image-bearing member with a developer to form thereon thereon a developed image, the developer comprising 100 wt. parts of a toner and 0.05 to 3 wt. parts of fine powder treated with a silicone oil or silicone varnish; and transferring the developed image on the electrostatic image-bearing member to a transfer material while causing a transfer means to contact the electrostatic image-bearing member by the medium of the transfer material under a line pressure of 3g/cm or higher.

IPC 1-7  
**G03G 15/16**; **G03G 9/08**

IPC 8 full level  
**G03G 9/08** (2006.01); **G03G 9/097** (2006.01); **G03G 13/09** (2006.01); **G03G 15/16** (2006.01)

CPC (source: EP)  
**G03G 9/097** (2013.01); **G03G 9/09716** (2013.01); **G03G 13/09** (2013.01); **G03G 15/167** (2013.01)

Citation (search report)  
• [A] EP 0297911 A2 19890104 - CANON KK [JP]  
• [A] EP 0270063 A2 19880608 - CANON KK [JP]  
• [A] PATENT ABSTRACTS OF JAPAN vol. 12, no. 300 (P-745)(3147), 16 August 1988; & JP-A-63 073 271 (CANON) 02.04.1988  
• [A] PATENT ABSTRACTS OF JAPAN vol. 7, no. 150 (P-207)(1295), 30 June 1983; & JP-A-58 060 754 (CANON) 11.04.1983

Cited by  
FR2698974A1; EP0980029A1; US5331383A; EP0522812A3; EP0751437A1; US6057073A; EP0725318A1; US5700616A

Designated contracting state (EPC)  
AT BE CH DE ES FR GB IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0395061 A2 19901031**; **EP 0395061 A3 19910911**; **EP 0395061 B1 19950208**; AT E118281 T1 19950215; DE 69016689 D1 19950323; DE 69016689 T2 19950706; ES 2067588 T3 19950401; JP 2660083 B2 19971008; JP H03121462 A 19910523

DOCDB simple family (application)  
**EP 90107957 A 19900426**; AT 90107957 T 19900426; DE 69016689 T 19900426; ES 90107957 T 19900426; JP 11198090 A 19900427