

Title (en)

APPARATUS FOR AUTOMATICALLY STACKING AND SACKING PLASTICS MATERIAL CONCAVE ARTICLES

Publication

EP 0395960 B1 19930210 (EN)

Application

EP 90107558 A 19900420

Priority

IT 1248189 A 19890504

Abstract (en)

[origin: EP0395960A1] Downstream of magazine (1) having parallel channels (C), in which the stacking is carried out of the trays (V) delivered from the thermoforming apparatus, matching channels (C1) which are mounted in series on a driven channel-conveying device (15), are set in an aligned close relation with the said channels C. A comb-like pushing teeth assembly (10, 14) is swung upon control, so as to cause its pushing teeth (14) to be inserted into the inlet end of the channels (C) for stacking the trays (V), and is translated so as to cause all the stacks of trays (V) to be simultaneously transferred into the respective channel (C1) on the channel-conveying device (15). The said comb-like pushing teeth assembly (10, 14) is then lowered and returned into its rest position, the channel-conveying device (15) being cyclically actuated so as to have the tray stack-loaded channels (C1) set one at a time in line with a pusher (23) which by being imparted a reciprocating motion, transfers in timed relation the stack of trays (V) on the in-line channel (C1) into an automatic machine (32) which is provided for packing this stack of trays (V) into a continuous sack made from a thermoplastic web.

IPC 1-7

B65B 5/06; **B65B 9/20**; **B65B 35/30**

IPC 8 full level

B65B 5/06 (2006.01); **B65B 9/20** (2006.01); **B65B 35/30** (2006.01); **B65B 35/40** (2006.01)

CPC (source: EP)

B65B 35/40 (2013.01)

Cited by

CN110384209A; DE4244089A1; WO2014146639A1; EP2995581A1; US10703583B2

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR LI LU NL SE

DOCDB simple family (publication)

EP 0395960 A1 19901107; **EP 0395960 B1 19930210**; AT E85569 T1 19930215; DE 69000889 D1 19930325; DE 69000889 T2 19930805; ES 2038014 T3 19930701; IT 1232703 B 19920304; IT 8912481 A0 19890504

DOCDB simple family (application)

EP 90107558 A 19900420; AT 90107558 T 19900420; DE 69000889 T 19900420; ES 90107558 T 19900420; IT 1248189 A 19890504