

Title (en)
SERIES OF ELECTROMAGNETIC FUEL INJECTION DEVICE FOR INTERNAL COMBUSTION ENGINES

Publication
EP 0398157 A3 19910320 (EN)

Application
EP 90108824 A 19900510

Priority
IT 6736189 A 19890516

Abstract (en)
[origin: EP0398157A2] Each device in the series is formed by connecting together a first (1) and second (24) assembly. The first assembly (1) substantially comprises a body (2) defining a chamber (3) housing an annular electromagnet (4) and a tubular core (5) coaxial with the electromagnet. The second assembly (24) comprises a nozzle (25) in which is formed at least one fuel injection hole (26), a plunger (27) for controlling fuel passage through the injection hole, and a tubular anchor (28) secured to the plunger.

IPC 1-7
F02M 51/06; **F02M 61/16**

IPC 8 full level
F02M 51/06 (2006.01); **F02M 61/16** (2006.01)

CPC (source: EP)
F02M 51/0667 (2013.01); **F02M 51/0678** (2013.01); **F02M 61/168** (2013.01)

Citation (search report)

- [A] US 4610080 A 19860909 - HENSLEY THOMAS E [US]
- [AP] FR 2632019 A1 19891201 - HITACHI LTD [JP], et al
- [A] FR 2616485 A1 19881216 - WEBER SRL [IT]
- [A] EP 0301620 A2 19890201 - WEBER SRL [IT]
- [A] EP 0257475 A2 19880302 - NIPPON DENSO CO [JP]
- [A] DE 3303507 A1 19830825 - AISAN IND [JP]
- [A] FR 2606088 A1 19880506 - HITACHI LTD [JP], et al
- [A] PATENT ABSTRACTS OF JAPAN vol. 8, no. 37 (M-277)(1474) 17 February 1984, & JP-A-58 192960 (AISAN KOGYO) 10 November 1983,

Cited by
EP0619858A4; US6047907A; US6655608B2; WO9932785A1

Designated contracting state (EPC)
DE ES FR GB SE

DOCDB simple family (publication)
EP 0398157 A2 19901122; **EP 0398157 A3 19910320**; BR 9002285 A 19910806; IT 1232734 B 19920304; IT 8967361 A0 19890516; RU 1836582 C 19930823

DOCDB simple family (application)
EP 90108824 A 19900510; BR 9002285 A 19900516; IT 6736189 A 19890516; SU 4830084 A 19900515