

Title (en)

DOOR WITH LIFTABLE, REINFORCED BY HORIZONTAL BARS

Publication

EP 0398791 B1 19931013 (FR)

Application

EP 90401264 A 19900511

Priority

- FR 8906592 A 19890519
- FR 9000001 A 19900102

Abstract (en)

[origin: EP0398791A1] Goods-handling door with liftable curtain (4) comprising a frame formed from two vertical lateral uprights (1, 2) connected at their tops by a cross-piece (3), the said lateral uprights each constituting or comprising a slide, each slide having a guidance wall on each side of the plane of the curtain, the latter being able to be gathered up at the top by rolling or folding, the curtain being reinforced by horizontal bars (5) whose ends slide in the said slides, characterised in that at least one of the bars (5) has, at least over part of its length, sufficient flexibility to allow it to come out of at least one slide when an abnormal lateral force is applied to the bar without undergoing permanent distortion which can subsequently interfere with the operation of the curtain. <IMAGE>

[origin: EP0398791A1] A rolling or folding doorway shutter, for use e.g. in an industrial or commercial building, consists of vertical supports (1,2) on either side of the doorway, connected by a cross member (3) at the top. Each support contains a slider guide for the door shutter (4) which is roller or folded at the top. The shutter is reinforced by a number of horizontal bars (5) which have their ends moving in the sliders. At least one of the bars has a flexible section (e.g. spring-loaded and telescopic) which enables it to jump out of the slider in the event of an abnormal transverse effort being applied to it, without creating any permanent deformation in the bar which might ultimately affect the operation of the shutter. The bar's flexibility can be provided in the centre or at one or both ends, and the slider containing the flexible bar can have a branched track to allow for the replacement of the bar once it has been deformed.

IPC 1-7

E06B 9/08; **E06B 9/56**

IPC 8 full level

E06B 9/02 (2006.01); **E06B 9/06** (2006.01); **E06B 9/17** (2006.01); **E06B 9/58** (2006.01)

CPC (source: EP)

E06B 9/581 (2013.01); **E06B 2009/585** (2013.01)

Cited by

FR2973432A1; ITTV20090097A1; BE1014506A3; FR2762354A1; FR2674566A1; FR2728011A1; BE1004897A3; FR2762642A1; CZ298010B6; US7036549B2; WO03048498A1; WO9220895A1; US9556672B2; WO2012131207A1; WO2016131476A1; WO9848139A1; US6192960B1; US6481487B2

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0398791 A1 19901122; **EP 0398791 B1 19931013**; AT E151150 T1 19970415; AT E95885 T1 19931015; CA 2017145 A1 19901119; CA 2017145 C 20000118; DE 69003868 D1 19931118; DE 69003868 T2 19940428; DE 69030379 D1 19970507; DE 69030379 T2 19971106; DK 0398791 T3 19940214; EP 0476788 A2 19920325; EP 0476788 A3 19930224; EP 0476788 B1 19970402; ES 2047281 T3 19940216; ES 2102384 T3 19970801; FR 2656648 A2 19910705; JP 2884103 B2 19990419; JP H0381490 A 19910405

DOCDB simple family (application)

EP 90401264 A 19900511; AT 90401264 T 19900511; AT 91203021 T 19900511; CA 2017145 A 19900518; DE 69003868 T 19900511; DE 69030379 T 19900511; DK 90401264 T 19900511; EP 91203021 A 19900511; ES 90401264 T 19900511; ES 91203021 T 19900511; FR 9000001 A 19900102; JP 12897990 A 19900518