

Title (en)
BURNER AUTOMAT

Publication
EP 0399134 B1 19930526 (DE)

Application
EP 90100288 A 19900108

Priority
CH 194689 A 19890524

Abstract (en)
[origin: EP0399134A2] A burner automat is disclosed, the faulty position of which, caused for example by the failure of the flame after setting in operation, can be cleared on the one hand by a reset button (10) arranged on the burner automat and on the other hand in a remote-operated manner by means of a reset pulse generator (13). By means of a pulse, which is triggered by a momentary-contact switch (19) and acts on the flame relay (1), the flame relay (1) is briefly excited, the fault contact (7) being returned from its faulty position to the normal position by an actuation segment (11) coupled to a slide (2) for actuation of a contact set (3). Such a burner automat can advantageously be used in compact heating devices, in which the reset button (10) is not easily accessible. <IMAGE>

IPC 1-7
F23N 1/00; **F23N 5/20**

IPC 8 full level
F23N 1/00 (2006.01); **F23N 5/20** (2006.01); **F23N 5/08** (2006.01); **F23N 5/26** (2006.01)

CPC (source: EP)
F23N 1/005 (2013.01); **F23N 5/206** (2013.01); **F23N 5/08** (2013.01); **F23N 5/26** (2013.01); **F23N 2223/28** (2020.01); **F23N 2223/38** (2020.01); **F23N 2231/20** (2020.01)

Designated contracting state (EPC)
CH DE DK FR GB LI

DOCDB simple family (publication)
EP 0399134 A2 19901128; **EP 0399134 A3 19910130**; **EP 0399134 B1 19930526**; DE 59001538 D1 19930701; DK 0399134 T3 19931004

DOCDB simple family (application)
EP 90100288 A 19900108; DE 59001538 T 19900108; DK 90100288 T 19900108