

Title (en)

FIBER OPTIC REFRACTIVE INDEX SENSOR USING A METAL CLAD.

Title (de)

SENSOR FÜR DEN BRECHUNGSINDEX AUS OPTISCHEN FASERN UNTER VERWENDUNG EINER METALLBESCHICHTUNG.

Title (fr)

CAPTEUR D'INDICE DE REFRACTION A FIBRES OPTIQUES UTILISANT UN REVETEMENT METALLIQUE.

Publication

EP 0400061 B1 19941221 (EN)

Application

EP 89902845 A 19890124

Priority

- US 8900300 W 19890124
- US 15019788 A 19880129

Abstract (en)

[origin: WO8907279A1] A refractive index FOCS has a thin metal film clad (16) on a fiber optic core (12) so that transmission through the core (12) is strongly affected by the refractive index of a surrounding solvent. The clad (16) is made of platinum, or also of gold, rhodium or palladium. With a fluorescent tip (14), the changes in the fluorescent signal are a measure of the solvent refractive index. With a reflective tip (18), the changes in the reflected signal are measured. In a linear configuration, source and detector are placed at opposite ends of the fiber (22) and changes in the transmitted signal are measured as a function of solvent refractive index.

IPC 1-7

G01N 21/43; **G02B 6/02**

IPC 8 full level

G01N 21/55 (2006.01); **G01N 21/41** (2006.01); **G01N 21/43** (2006.01); **G02B 6/02** (2006.01)

CPC (source: EP KR US)

G01N 21/431 (2013.01 - EP US); **G02B 6/02** (2013.01 - KR); **G01N 2021/432** (2013.01 - EP US)

Citation (examination)

IBM TECHNICAL DISCLOSURE BULLETIN. vol. 25, no. 10, March 1983, NEW YORK US pages 4976 - 4977; H.GUGGER: 'optical nondestructive method for dynamic monitoring of chemical reactions'

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)

WO 8907279 A1 19890810; AT E116060 T1 19950115; CA 1325894 C 19940111; DE 68920138 D1 19950202; DE 68920138 T2 19950622; EP 0400061 A1 19901205; EP 0400061 A4 19920812; EP 0400061 B1 19941221; JP H03503685 A 19910815; JP H0758262 B2 19950621; KR 900700900 A 19900817; US 4929049 A 19900529

DOCDB simple family (application)

US 8900300 W 19890124; AT 89902845 T 19890124; CA 589319 A 19890127; DE 68920138 T 19890124; EP 89902845 A 19890124; JP 50263889 A 19890124; KR 890701769 A 19890926; US 15019788 A 19880129