

Title (en)

DEVICE AND METHOD FOR REMOVING A TRANSVERSAL THICKENING OF THE COATING MATERIAL OF A BELT

Publication

EP 0403919 A3 19911127 (DE)

Application

EP 90111034 A 19900612

Priority

DE 3920575 A 19890623

Abstract (en)

[origin: EP0403919A2] A device and a method are described for removing coating thickenings which have arisen transversely with respect to the running direction of a web after the coating with liquids or dispersions of continuously moving webs, for example photographic films or papers or magnetic recording media. Behind the coating and drying device for the web (1) there is a deflection roller (4) over which the web runs on its coated side. When coating a thickening is building up, a cleaning roller (2) which is covered with a nonwoven fabric is swivelled onto the web, whereupon the latter runs exclusively over the cleaning roller. <IMAGE>

IPC 1-7

B05C 11/02

IPC 8 full level

B05C 9/12 (2006.01); **B05C 11/02** (2006.01); **B05D 1/40** (2006.01); **B05D 3/12** (2006.01); **G03C 1/74** (2006.01)

CPC (source: EP US)

B05C 11/025 (2013.01 - EP US)

Citation (search report)

- [A] DE 140349 C
- [AD] DE 2803914 A1 19790802 - BASF AG

Designated contracting state (EPC)

DE FR IT NL

DOCDB simple family (publication)

EP 0403919 A2 19901227; EP 0403919 A3 19911127; EP 0403919 B1 19931222; DE 3920575 A1 19910103; DE 59003938 D1 19940203; JP H0330865 A 19910208; TR 26375 A 19950315; US 5040481 A 19910820

DOCDB simple family (application)

EP 90111034 A 19900612; DE 3920575 A 19890623; DE 59003938 T 19900612; JP 15779090 A 19900618; TR 53190 A 19900531; US 53541190 A 19900608