

Title (en)

Burner with toric-cyclonic flow for boiler fired with liquid or gaseous fuel.

Title (de)

Brenner mit torisch-drallförmiger Strömung für einen mit flüssigem und gasförmigem Brennstoff beheizten Kessel.

Title (fr)

Brûleur à flux torique-cyclonique pour chaudière à combustible liquide et gazeux.

Publication

EP 0404731 B1 19950125 (FR)

Application

EP 90810471 A 19900622

Priority

FR 8908585 A 19890622

Abstract (en)

[origin: EP0404731A2] The burner comprises a tubular body composed of an inner bush (12) and an outer bush (10). The inner bush (12) carries a spray nozzle (11), an ignition electrode (23) and an observation tube (40). An annular space (E) arranged between the two bushes provides the inlet for a flow of oxidiser. A primary flow (A) of supply of oxidiser gas is led in through apertures (15) towards a deflector plate (18). This arrangement permits an area of toric-cyclonic combustion (33) to be obtained by virtue especially of the existence of slots (16) let into the deflector plate (18) and inclined blades (13) mounted in the space (E) located between the inner bush (12) and the outer bush (10). The advantages are a better homogeneity of the mixture, an increase in the dwell time of the mixture in the combustion area and better recycling of the combustion gases.

<IMAGE>

IPC 1-7

F23D 11/40; **F23C 9/00**

IPC 8 full level

F23C 9/00 (2006.01); **F23D 11/40** (2006.01)

CPC (source: EP)

F23C 9/006 (2013.01); **F23D 11/402** (2013.01); **F23C 2202/40** (2013.01)

Cited by

ES2060486A2; EP0864812A3; CN104373963A; AT406706B; CN109237465A; AT406795B; EP0537491A3; AT401288B

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0404731 A2 19901227; **EP 0404731 A3 19920102**; **EP 0404731 B1 19950125**; AT E117788 T1 19950215; DE 69016281 D1 19950309; DE 69016281 T2 19950720; FR 2648897 A1 19901228

DOCDB simple family (application)

EP 90810471 A 19900622; AT 90810471 T 19900622; DE 69016281 T 19900622; FR 8908585 A 19890622