

Title (en)

DEVICE FOR CONTROLLING THE START OF THE INTRODUCTION OF PRESSURIZED MIXTURE IN AN INTERNAL COMBUSTION ENGINE
AND ITS APPLICATION TO THE TWO-STROKE ENGINE

Publication

EP 0406083 B1 19930901 (FR)

Application

EP 90401792 A 19900625

Priority

FR 8908855 A 19890630

Abstract (en)

[origin: JPH03206352A] PURPOSE: To improve operability by providing a cylinder for introducing a fuel-air mixture under pressure independently of a cylinder for fuel, and by opening or closing an opening which is formed in a cylinder wall with a skirt of its piston and is connected with an intake port of a combustion cylinder. CONSTITUTION: A second cylinder 2 for introducing a fuel-air mixture under pressure into a first cylinder of an internal combustion engine is provided, and an opening 5 provided in a cylinder wall body is opened or closed by a piston skirt 7 having a port 4, of a piston 3 of this second cylinder 2. This opening 5 is provided at a position where it does not open to a combustion chamber 6 even when the piston 3 reaches a lower dead center. One end of a passageway 9 is connected with this opening 5, the other end is connected with an intake port 26 of the first cylinder 1, and the other end of the passageway 9 is provided with a fuel injector 25 and a check valve 28. The upper edge 10 and the lower edge 11 of the port 4, and the opening 5 are provided at a position for setting an injection starting point and an injection finishing point.

IPC 1-7

F02B 13/10; **F02B 25/26**; **F02M 69/10**

IPC 8 full level

F02B 13/10 (2006.01); **F02B 25/26** (2006.01); **F02B 33/04** (2006.01); **F02M 69/08** (2006.01); **F02M 69/10** (2006.01); **F02B 75/02** (2006.01)

CPC (source: EP US)

F02B 25/26 (2013.01 - EP US); **F02B 33/04** (2013.01 - EP US); **F02M 69/08** (2013.01 - EP US); **F02M 69/10** (2013.01 - EP US);
F02B 2075/025 (2013.01 - EP US)

Cited by

EP0577451A1; FR2693233A1; US5419289A

Designated contracting state (EPC)

AT BE DE GB IT SE

DOCDB simple family (publication)

EP 0406083 A1 19910102; **EP 0406083 B1 19930901**; AT E93932 T1 19930915; DE 69003035 D1 19931007; DE 69003035 T2 19931216;
FR 2649158 A1 19910104; FR 2649158 B1 19940422; JP H03206352 A 19910909; US 5060602 A 19911029

DOCDB simple family (application)

EP 90401792 A 19900625; AT 90401792 T 19900625; DE 69003035 T 19900625; FR 8908855 A 19890630; JP 17254190 A 19900630;
US 54683290 A 19900702