

Title (en)  
ELECTROMECHANIC HIGH-SPEED BREAKER

Publication  
**EP 0410258 A3 19920102 (DE)**

Application  
**EP 90113583 A 19900716**

Priority  
DE 3924780 A 19890726

Abstract (en)  
[origin: EP0410258A2] The high-speed circuit breaker (limiter) is arranged in series with a power circuit breaker and is provided with a magnetic drive whose U-shaped magnet yoke forms a slot in which the moving contact is arranged and whose central yoke limb is provided with a magnet coil. According to the invention, the switching path is arranged between the limbs (22, 23) of the magnet drive (20). The magnet coil (25) is connected in parallel with the switching contacts (3 to 5) of the high-speed circuit breaker. Provided for the moving contact (5) is an additional drive, which is arranged outside the limbs (22, 23) of the magnet drive (20), in the scatter field of the latter, and is mechanically coupled to the moving contact (5). This embodiment of the high-speed circuit breaker results in an increased extinguishing capability and a short switching-off time.  
<IMAGE>

IPC 1-7  
**H01H 77/06; H01H 71/38**

IPC 8 full level  
**H01H 71/38** (2006.01); **H01H 77/06** (2006.01); **H01H 77/10** (2006.01)

CPC (source: EP)  
**H01H 77/06** (2013.01); **H01H 77/108** (2013.01)

Citation (search report)  
• [X] EP 0021882 A1 19810107 - HAZEMEYER SA [FR]  
• [AD] DE 2360439 A1 19740606 - WESTINGHOUSE ELECTRIC CORP  
• [A] US 1720566 A 19290709 - PESTARINI JOSEPH M  
• [AD] 4. Internationales Symposium für "Switching ARC Phenomena" 24 September 1981, Lodz & Bartoszewski: "LICHTBOGENLÖSCHSYSTEM FÜR GLEICHSTROM"

Cited by  
FR2756414A1; CN113056805A; GB2593085A; GB2593085B; WO2020146996A1

Designated contracting state (EPC)  
DE FR IT SE

DOCDB simple family (publication)  
**EP 0410258 A2 19910130; EP 0410258 A3 19920102; EP 0410258 B1 19950125**; DE 59008339 D1 19950309

DOCDB simple family (application)  
**EP 90113583 A 19900716**; DE 59008339 T 19900716