

Title (en)
ROLLER SQUEEGEE

Publication
EP 0413095 B1 19930915 (DE)

Application
EP 90109539 A 19900519

Priority
DE 3923850 A 19890719

Abstract (en)
[origin: EP0413095A2] A roller squeegee consists of two different annular plates 2 which are clamped tightly on a cylindrical support rod 3 or fastened in some other way. In this arrangement, annular plates 2 of a smaller diameter and made of elastic material alternate with annular plates of a larger diameter made of very hard-wearing material, in particular made of ceramic. The difference in the outer diameters results in a halving of the groove depth of the circumferential grooves, of the roller squeegee, formed between the different annular plates. <IMAGE>

IPC 1-7
B05C 11/02; D21H 23/58

IPC 8 full level
B05C 11/02 (2006.01); **B28B 1/30** (2006.01); **D21H 23/58** (2006.01)

CPC (source: EP US)
B05C 11/025 (2013.01 - EP US); **D21H 23/58** (2013.01 - EP US); **Y10S 118/15** (2013.01 - EP US)

Cited by
WO2011076639A1

Designated contracting state (EPC)
AT CH ES FR GB IT LI SE

DOCDB simple family (publication)
EP 0413095 A2 19910220; EP 0413095 A3 19911121; EP 0413095 B1 19930915; AT E94431 T1 19931015; BR 9003252 A 19910827;
CA 2021479 A1 19910120; DE 3923850 A1 19910131; ES 2045640 T3 19940116; FI 903601 A0 19900717; JP H0352667 A 19910306;
NO 175684 B 19940808; NO 175684 C 19941116; NO 902722 D0 19900619; NO 902722 L 19910121; US 5103759 A 19920414

DOCDB simple family (application)
EP 90109539 A 19900519; AT 90109539 T 19900519; BR 9003252 A 19900702; CA 2021479 A 19900718; DE 3923850 A 19890719;
ES 90109539 T 19900519; FI 903601 A 19900717; JP 18171090 A 19900711; NO 902722 A 19900619; US 55572190 A 19900719