

Title (en)

Process for setting the threshold of electronic slub catchers and device for carrying out the process.

Title (de)

Verfahren zum Einstellen der Ansprechgrenze elektronischer Garnreiniger und Vorrichtung zur Durchführung des Verfahrens.

Title (fr)

Procédé pour l'ajustement du seuil d'épureur de fil, et dispositif pour la mise en oeuvre du procédé.

Publication

**EP 0415222 A2 19910306 (DE)**

Application

**EP 90115906 A 19900820**

Priority

CH 315489 A 19890831

Abstract (en)

In the setting of the yarn cleaners for the fineness check, the number of false alarms permissible for a given yarn length, that is to say the permissible alarm frequency, is fixed. During the cleaning process, the measured values (GF) for the fineness are recorded continuously and their distribution is determined. From this distribution of the measured values and from the predetermined permissible alarm frequency, the response limits (GO, GU) are fixed independently by means of statistical regularities. <??>The yarn cleaners can thus be given an optimum setting automatically by reference to the actual production conditions, and there can be no confusion between yarns differing in fineness only slightly. <IMAGE>

Abstract (de)

Bei der Einstellung der Garnreiniger für die Feinheitskontrolle wird die Anzahl der für eine gegebene Garnlänge zulässigen Fehlalarme, also die zulässige Alarmhäufigkeit festgelegt. Während des Reinigungsprozesses werden die Messwerte (GF) der Feinheit laufend registriert und es wird ihre Verteilung bestimmt. Aus dieser Verteilung der Messwerte und aus der vorgegebenen zulässigen Alarmhäufigkeit werden anhand statistischer Gesetzmässigkeiten die Ansprechgrenzen (GO, GU) selbständig festgelegt. Dadurch können die Garnreiniger anhand der tatsächlichen Produktionsgegebenheiten automatisch optimal eingestellt werden, und es kann zu keinen Verwechslungen von sich in ihrer Feinheit nur wenig unterscheidenden Garnen kommen.

IPC 1-7

**B65H 63/06**; **D01H 13/22**; **D01H 13/32**

IPC 8 full level

**B65H 63/06** (2006.01); **D01H 13/22** (2006.01); **D01H 13/32** (2006.01)

CPC (source: EP US)

**B65H 63/062** (2013.01 - EP US); **D01H 13/22** (2013.01 - EP US); **B65H 2701/31** (2013.01 - EP US)

Cited by

DE10129201A1; EP0622481A1; DE19547544A1; EP0531894A1; CH683350A5; US5537811A; EP0877108A1; CH701957A1; EP2483190A1; WO2011038524A1

Designated contracting state (EPC)

BE DE ES FR GB IT

DOCDB simple family (publication)

**EP 0415222 A2 19910306**; **EP 0415222 A3 19910821**; **EP 0415222 B1 19961127**; CH 681462 A5 19930331; DE 59010578 D1 19970109; ES 2094133 T3 19970116; JP 3038663 B2 20000508; JP H0390639 A 19910416; RU 1836280 C 19930823; US 5181374 A 19930126

DOCDB simple family (application)

**EP 90115906 A 19900820**; CH 315489 A 19890831; DE 59010578 T 19900820; ES 90115906 T 19900820; JP 19810990 A 19900727; SU 4830898 A 19900830; US 57580090 A 19900831