

Title (en)
DRAWER

Publication
EP 0421458 B1 19930908 (DE)

Application
EP 90119133 A 19901005

Priority
• AT 231389 A 19891006
• DE 9005705 U 19900519

Abstract (en)
[origin: JPH03165712A] PURPOSE: To facilitate the removal of a drawer without being injured in hand at the time of removing a drawer from a furniture main body by forming a release part to be fixed to a drawer frame and to be arranged under a lock element. CONSTITUTION: A horizontal flange 9 of each drawer frame 5 is provided with a hole 18 in a front area. An elastic lock element 2 passes through the hole 18, and has multiple stop surfaces 20, which are directly fitted to the drawer frame 5 and which are arranged in a different stages so as to be directed to a front plate 8. A release member 1 is arranged under the lock element 2 and under the horizontal flange 9 of each drawer frame 5, and formed as an integral part piece with a hook member 19. The lock element 2 is passed through the hole 18 and a recessed part of a drawer rail 4, and one of the stop surfaces 20 is laid in rear of a stop edge 15 of the drawer rail 4. With this structure, displacement of the drawer rail 4 in relation to the drawer frame 5 is securely prevented. The release member 1 is pushed, and the lock element 2 is lifted from the recessed part so that a drawer can be removed from a furniture main body. The drawer can be removed without being injured in hand of a user by the drawer rail 4.

IPC 1-7
A47B 88/16

IPC 8 full level
A47B 88/04 (2006.01); **A47B 88/16** (2006.01)

CPC (source: EP US)
A47B 88/427 (2016.12 - EP US); **A47B 88/57** (2016.12 - EP US); **A47B 2210/0032** (2013.01 - EP US); **A47B 2210/0059** (2013.01 - EP US); **Y10T 403/32451** (2015.01 - EP US)

Cited by
WO2024016038A1; US11464331B2; AT506879B1; EP3167756A1; US5632541A; US5490723A; US5343357A; US5247427A; AT399445B; AT509414B1; DE102009003362A1; AT526385A1; US7654625B2; WO2009149479A1; US8424984B2; US6234591B1; US10271648B2; WO2012068594A1; US8696078B2; AT509415B1; EP3238568A1; WO9502349A1; WO2011063436A1; WO2012149586A1; US8764136B2; US8807672B2; WO2011094776A1; US8919711B2; EP1690472A2; US8052233B2; US8882210B2; EP2531069A1

Designated contracting state (EPC)
AT DE GB IT

DOCDB simple family (publication)
EP 0421458 A1 19910410; **EP 0421458 B1 19930908**; AT E94035 T1 19930915; CA 2026863 A1 19910407; CA 2026863 C 19961203; JP H03165712 A 19910717; US 5281021 A 19940125

DOCDB simple family (application)
EP 90119133 A 19901005; AT 90119133 T 19901005; CA 2026863 A 19901003; JP 26651590 A 19901005; US 59254390 A 19901002