Title (en)

Coating apparatus

Title (de

Beschichtungsvorrichtung

Title (fr)

Appareil d'enduction

Publication

EP 0421466 B1 19960110 (EN)

Application

EP 90119169 A 19901005

Priority

- JP 26146289 A 19891006
- JP 32517689 A 19891215

Abstract (en)

[origin: EP0421466A2] A coating apparatus in which a series of substrates are conveyed along a predetermined path for receiving coating solution in which coating is carried out stably and coatings of uniform thickness are formed. A solution supplying unit is arranged above the path of the substrates. A flexible, elastic solid curtain member made of a water-impermeable material is attached to an outlet of said solution supplying unit, a front edge of which elastically contacts the substrates as they pass beneath the solution supplying unit so that coating solution flowing out of said solution supplying unit is applied to the substrates from the curtain member. A vertically movable solution receiver is positioned below the front edge of the curtain member with the solution receiver contacting the front edge of the curtain member when no substrate is located between the curtain member and the solution receiver so as to allow the coating solution to smoothly flow down the solution receiver.

IPC 1-7

B05C 5/00; G03F 7/16

IPC 8 full level

B05C 5/00 (2006.01); B05C 9/06 (2006.01); G03F 7/16 (2006.01)

CPC (source: EP US)

B05C 5/007 (2013.01 - EP US); B05C 5/008 (2013.01 - EP US); B05C 9/06 (2013.01 - EP US); G03F 7/16 (2013.01 - EP US); Y10S 118/04 (2013.01 - EP US)

Cited by

EP1209274A3; CN104588277A; CN107930985A; EP1595601A3; US5908668A; EP1209274A2; WO9827796A1

Designated contracting state (EPC)

DE GB

DOCDB simple family (publication)

EP 0421466 A2 19910410; **EP 0421466 A3 19920930**; **EP 0421466 B1 19960110**; DE 69024737 D1 19960222; DE 69024737 T2 19960523; US 5136970 A 19920811

DOCDB simple family (application)

EP 90119169 A 19901005; DE 69024737 T 19901005; US 59272890 A 19901004