

Title (en)
ALARM CLOCK

Publication
EP 0423586 B1 19930915 (DE)

Application
EP 90119289 A 19901008

Priority
DE 3934702 A 19891018

Abstract (en)
[origin: EP0423586A2] The alarm clock (1) consists of a rocker (21) which closes and opens a switching contact in order to produce and cancel the alarm-set state. The rocker (21) has an actuation face (22) which can be controlled manually and is mounted so as to be rotatable about an axis (48). The rocker (21) is let into a recess (28) of the housing (2, 14) in such a way that when not in the alarm-set state the actuation face (22) of the rocker (21) forms part of the contour (16) of the one housing (2) and that in the alarm-set state one part of the actuation face (22) protrudes out of the contour (16) of the housing (2) on this side of the axis (48) of rotation of the rocker (21) while the other part of the actuation face (22) penetrates the recess (28) of the housing (2) on the other side of the axis (48) of rotation. According to the invention, the axis about which the rocker (21) can be rotated is located on the one hand outside the contour (16) of the housing (2) and on the other hand extends parallel to the axis (23) of the hands of the alarm clock (1). <IMAGE>

IPC 1-7
G04B 23/02; **G04C 3/00**; **G04C 21/02**

IPC 8 full level
G04B 23/02 (2006.01); **G04C 3/00** (2006.01); **G04C 21/02** (2006.01)

CPC (source: EP)
G04C 3/001 (2013.01); **G04C 21/02** (2013.01)

Cited by
CN109976135A

Designated contracting state (EPC)
AT CH DE FR GB IT LI

DOCDB simple family (publication)
EP 0423586 A2 19910424; **EP 0423586 A3 19911227**; **EP 0423586 B1 19930915**; AT E94663 T1 19931015; DE 3934702 C1 19910411; DE 59002730 D1 19931021

DOCDB simple family (application)
EP 90119289 A 19901008; AT 90119289 T 19901008; DE 3934702 A 19891018; DE 59002730 T 19901008