

Title (en)
DEVICE TO FIX FACADE PLATES WITH REAR VENTILATION ON A BUILDING

Publication
EP 0433597 B1 19920916 (DE)

Application
EP 90119866 A 19901017

Priority
CH 462989 A 19891222

Abstract (en)
[origin: EP0433597A1] The device serves to fix facade plates (P) with rear ventilation on a building (B). For this purpose, vertical rails (S) are fixed on the building (B), on which rails are fixed supporting brackets (1) fixed vertically adjustably at selectable distances. Each supporting bracket (1) has at least one, preferably two, upwardly directed supporting extensions (11) and a, preferably interposed, retaining spring (14) acting away from the building. Attached to the building-side rear (PR) of each facade plate (P) is a support (T). The support (T) is preferably T-shaped in cross-section, its downwardly projecting support web (2) engaging between the supporting extensions (11). The retaining spring (14) acts on the support (T), in this case preferably on the support web (T2), in such a way that the support flange (T1) is pressed by its two flange noses (T3, T4) in each case into one building-side horizontal retaining groove (12; 13) of each supporting extension (11). Each facade plate (P) is thereby individually mountable and demountable. Where a higher stability of the plate is desired, it can be provided below the said support (T) additionally with a further support (T) which cooperates with a bearing bracket (2). <IMAGE>

IPC 1-7
E04F 13/08

IPC 8 full level
E04F 13/08 (2006.01)

CPC (source: EP)
E04F 13/081 (2013.01); **E04F 13/0812** (2013.01); **E04F 13/0816** (2013.01)

Cited by
EP0603449A1; CN111188442A; EP0870885A1; EP0716198A3

Designated contracting state (EPC)
AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)
EP 0433597 A1 19910626; EP 0433597 B1 19920916; AT E80688 T1 19921015; CH 679875 A5 19920430; DE 59000308 D1 19921022

DOCDB simple family (application)
EP 90119866 A 19901017; AT 90119866 T 19901017; CH 462989 A 19891222; DE 59000308 T 19901017