

Title (en)
Color cathode ray tube

Title (de)
Farbkathodenstrahlröhre

Title (fr)
Tube à rayons cathodiques couleurs

Publication
EP 0438139 B1 19960417 (EN)

Application
EP 91100462 A 19910116

Priority
• JP 715990 A 19900118
• JP 6823690 A 19900320

Abstract (en)
[origin: EP0438139A2] A color cathode ray tube apparatus is provided with an electron gun assembly which emits three electron beams and focuses and converges the electron beam onto a phosphor screen. In the gun assembly, the electron beams generated from cathodes (2) are accelerated and controlled by first and second grids (3, 4) and pass through third, fourth and fifth grids (5, 6, 7). The third and fourth grids (5, 6) have single rectangular apertures (10, 11) common to the three electron beams, respectively, which are faced to each other and have different heights and widths. Each of the fourth and fifth grids (6, 7) have individual apertures which allow the corresponding electron beams to pass therethrough, respectively. The third and fifth grids (5, 7) is maintained at fixed potentials and a potential of the fourth grid (6) is adjusted. Thus, individual focusing and convergence electron lenses (L120) are formed between the fourth and fifth grids (5, 6). A single and common asymmetrical electron lens (L110) is formed between the third and fourth grids (5, 6), when a potential difference between the third and fourth grids (5, 6) is produced. A misconvergence of three electron beams produced due to the adjustment of the individual electron lenses (L120) is corrected by the common asymmetrical electron lens (L110) in such a manner that the side electron beams are deflected in accordance with the potential difference. <IMAGE>

IPC 1-7
H01J 29/62

IPC 8 full level
H01J 29/50 (2006.01)

CPC (source: EP KR US)
H01J 29/50 (2013.01 - KR); **H01J 29/503** (2013.01 - EP US); **H01J 2229/4841** (2013.01 - EP US); **H01J 2229/4858** (2013.01 - EP US); **H01J 2229/4868** (2013.01 - EP US); **H01J 2229/4889** (2013.01 - EP US); **H01J 2229/4896** (2013.01 - EP US)

Cited by
US5905331A; GB2262651A; GB2262651B; WO2004021389A1

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
EP 0438139 A2 19910724; EP 0438139 A3 19920129; EP 0438139 B1 19960417; DE 69118719 D1 19960523; DE 69118719 T2 19960829; KR 910014984 A 19910831; KR 950006338 B1 19950614; US 5202603 A 19930413

DOCDB simple family (application)
EP 91100462 A 19910116; DE 69118719 T 19910116; KR 910000870 A 19910118; US 64268791 A 19910117