

Title (en)

Plate lock-up device for printing press.

Title (de)

Plattenbefestigungsvorrichtung in einer Druckmaschine.

Title (fr)

Dispositif pour l'enclenchement des plaques dans une presse.

Publication

**EP 0444219 B1 19940713 (EN)**

Application

**EP 90103620 A 19900224**

Priority

EP 90103620 A 19900224

Abstract (en)

[origin: EP0444219A1] A plate lock-up device for a printing press includes plate lock-up bases (6, 31), a plurality of gripper plates (14, 38), spring members (17, 44), and a plurality of plate gripper cams (20, 46). The plate lock-up bases (6, 31) extend in the axial direction of a plate cylinder (1) and at least one of leading and trailing plate lock-up units (5, 30) is located in a gap formed in the circumferential surface of the plate cylinder (1). The gripper plates (14, 38) are pivotally supported by the plate lock-up bases (6, 31) and aligned in the axial direction of the plate cylinder (1). Each of the spring members (17, 44) is inserted between a corresponding one of the gripper plates (14, 38) and a corresponding one of the plate lock-up bases (6, 31). The springs bias the corresponding gripper plate (14, 38) in a plate gripping direction. The plurality of plate gripper cams (20, 46) are aligned on pivot shafts (19, 45) and each is engaged with the corresponding gripper plate (14, 38). The plate gripper cams (20, 46) cause the gripper plates (14, 38) to pivot in a plate release direction upon pivotal movement of the pivot shafts (19, 45). <IMAGE>

IPC 1-7

**B41F 27/12**

IPC 8 full level

**B41F 27/12** (2006.01)

CPC (source: EP)

**B41F 27/1231** (2013.01); **B41F 27/1268** (2013.01)

Citation (examination)

EP 0411731 A2 19910206 - KOMORI PRINTING MACH [JP]

Cited by

CN1097512C; EP0666171A1; US5495804A

Designated contracting state (EPC)

AT CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

**EP 0444219 A1 19910904; EP 0444219 B1 19940713**; AT E108369 T1 19940715; DE 69010662 D1 19940818; DE 69010662 T2 19950112

DOCDB simple family (application)

**EP 90103620 A 19900224**; AT 90103620 T 19900224; DE 69010662 T 19900224