

Title (en)
POLYURETHANE MOLDING HAVING EXCELLENT RESISTANCE TO WATER ABSORPTION

Publication
EP 0450076 A4 19920520 (EN)

Application
EP 90900981 A 19891214

Priority
JP 31734388 A 19881215

Abstract (en)
[origin: EP0450076A1] This invention relates to a polyurethane molding having a density of 0.5 to 1.2 g/cm³, containing tris(beta - chloropropyl)phosphate and being excellent in the resistance to water absorption. This molding is produced by the reaction of a polyisocyanate, a polyol and a cross-linking agent, if necessary in the presence of a catalyst, a flowing agent and other additives, in a mold, wherein tris(beta - chloropropyl)phosphate is added to the reaction mixture.

IPC 1-7
C08L 75/04

IPC 8 full level
C08K 5/52 (2006.01); **C08K 5/521** (2006.01); **C08L 75/00** (2006.01); **C08L 75/04** (2006.01)

CPC (source: EP KR)
C08K 5/521 (2013.01 - EP); **C08L 75/04** (2013.01 - KR)

Citation (search report)
See references of WO 9006972A1

Cited by
EP0645418A1

Designated contracting state (EPC)
AT BE DE FR GB IT LU NL SE

DOCDB simple family (publication)
EP 0450076 A1 19911009; EP 0450076 A4 19920520; AU 4742690 A 19900710; AU 630907 B2 19921112; JP H02163161 A 19900622; KR 910700315 A 19910314; WO 9006972 A1 19900628

DOCDB simple family (application)
EP 90900981 A 19891214; AU 4742690 A 19891214; JP 31734388 A 19881215; JP 8901254 W 19891214; KR 900701767 A 19900814