

Title (en)
EXHAUST SILENCER, ESPECIALLY FOR A TWO-STROKE ENGINE WITH CATALYTIC CONVERTER

Publication
EP 0455623 B1 19930331 (DE)

Application
EP 91890080 A 19910417

Priority
AT 98590 A 19900430

Abstract (en)
[origin: JPH04228817A] PURPOSE: To improve the sound damping while lowering the surface temperature of an exhaust gas muffler.
CONSTITUTION: The housing 1 of an exhaust gas muffler has an inlet 2 and outlet 3 and is divided to plural chambers I to III by the partition 4 with a connection pipe 5. The exhaust gas flows through this housing 1 while turning over its direction plural times. The outlet 3 is composed of a perforated inner tube 6 surrounded by the outer tube 7 spaced therefrom and the housing 1 has a double wall with a heat resistant intermediate layer 10. A tube resonator 8 is continued to a perforated resonator formed by the perforated inner tube 6 and outer tube 7. Further, the inner wall 9 of the housing wall is a wave shape and the inner wall 9 of a solid propagated sound damping intermediate layer 10 is fixed to the outer wall.

IPC 1-7
F01N 1/02; **F01N 1/08**; **F01N 7/14**

IPC 8 full level
F01N 1/02 (2006.01); **F01N 1/08** (2006.01); **F01N 13/14** (2010.01); **F01N 13/18** (2010.01)

CPC (source: EP US)
F01N 1/02 (2013.01 - EP US); **F01N 1/084** (2013.01 - EP US); **F01N 13/14** (2013.01 - EP US); **F01N 2490/155** (2013.01 - EP US)

Cited by
US9449592B2

Designated contracting state (EPC)
CH DE ES FR GB IT LI SE

DOCDB simple family (publication)
EP 0455623 A1 19911106; **EP 0455623 B1 19930331**; DE 59100068 D1 19930506; ES 2040152 T3 19931001; JP H04228817 A 19920818; US 5168132 A 19921201

DOCDB simple family (application)
EP 91890080 A 19910417; DE 59100068 T 19910417; ES 91890080 T 19910417; JP 18591791 A 19910424; US 69338391 A 19910430