

Title (en)

CRIMPED MULTIFILAMENT AND PRODUCTION THEREOF

Title (de)

GEKRÄUSELTES MULTIFILAMENT UND VERFAHREN ZUR HERSTELLUNG EINES SOLCHEN FILAMENTS

Title (fr)

MULTIFILAMENT CREPE ET PROCEDE DE PRODUCTION D'UN TEL FILAMENT

Publication

EP 0455831 B1 19970903 (EN)

Application

EP 90917689 A 19901129

Priority

- JP 9001549 W 19901129
- JP 30900989 A 19891130

Abstract (en)

[origin: EP0455831A1] Crimped multifilament produced from thermoplastic polymer, birefringence measured at outer layer pt. of constituent monofilament is larger than that measured at central part thereof, distribution of birefringence is so position of smallest birefringence is deviated from centre of fibre axis, and number of random crimps per unit is at least ten. Deg. of crystal growth as determined by wide-angle X-ray diffractometry is at least 0.2 in case of polyamide and at least 0.4 in case of polyester. Pref. method of producing crimped multifilament comprises cooling multifilaments extruded through spinnerets to given temp. by applying aq. liq. to side of each of multifilaments, stretching them 1.0- to 1.5- fold, and subjecting them to liq. jet treatment (in case of nylon) or relaxation heat treatment at 105 deg.C or above.

IPC 1-7

D01D 5/23; **D01F 6/60**; **D01F 6/62**

IPC 8 full level

D01D 5/23 (2006.01); **D01F 6/60** (2006.01); **D01F 6/62** (2006.01); **D02G 1/00** (2006.01)

CPC (source: EP)

D01D 5/23 (2013.01); **D01F 6/60** (2013.01); **D01F 6/62** (2013.01); **D02G 1/004** (2013.01)

Citation (examination)

- JP H0197209 A 19890414 - TORAY INDUSTRIES
- JP S5512832 A 19800129 - TOYO BOSEKI
- JP S465533 B1

Designated contracting state (EPC)

DE FR GB NL

DOCDB simple family (publication)

EP 0455831 A1 19911113; **EP 0455831 A4 19920520**; **EP 0455831 B1 19970903**; DE 69031383 D1 19971009; DE 69031383 T2 19980219; WO 9108330 A1 19910613

DOCDB simple family (application)

EP 90917689 A 19901129; DE 69031383 T 19901129; JP 9001549 W 19901129