

Title (en)
Control device.

Title (de)
Steuergeber.

Title (fr)
Transmetteur de commande.

Publication
EP 0459183 B1 19931229 (DE)

Application
EP 91107375 A 19910507

Priority
DE 4017696 A 19900601

Abstract (en)
[origin: EP0459183A1] The control device has a switching rod (16) which is mounted in a ball joint swivel bearing (17) in a housing (10, 11) and, via two joint bows (24, 25) arranged exactly at right angles to one another, actuates angle of rotation sensors (28), in particular potentiometers. In order to bring about a switching force on the switching rod (16), a slider (19) is displaceable on the said rod counter to the force of a spring (20), the outer contour of the said slider sliding against a curve (18A to 18C) which predetermines a corresponding actuating force which signals to the operator that, if the switching rod is deflected further, it will move into a latched position by virtue of the latching device (14, 39). <IMAGE>

IPC 1-7
G05G 9/04; G05G 5/03; F15B 13/042

IPC 8 full level
F15B 13/042 (2006.01); **G05G 5/03** (2006.01); **G05G 9/04** (2006.01); **G05G 9/047** (2006.01)

CPC (source: EP US)
G05G 5/03 (2013.01 - EP US); **G05G 9/047** (2013.01 - EP US); **G05G 2009/04707** (2013.01 - EP US); **G05G 2009/04748** (2013.01 - EP US); **G05G 2009/04766** (2013.01 - EP US); **G05G 2009/0477** (2013.01 - EP US); **Y10T 74/20201** (2015.01 - EP US); **Y10T 74/20636** (2015.01 - EP US)

Cited by
DE19901038A1; EP1801685A1; US6082212A; DE4306577C1; US5680797A; DE4306577C2; EP2204719A1; WO0039654A2; WO2005033821A2; US7544905B2; WO9905060A1; WO9843144A1

Designated contracting state (EPC)
DE ES FR GB IT

DOCDB simple family (publication)
EP 0459183 A1 19911204; **EP 0459183 B1 19931229**; DE 4017696 A1 19911205; DE 59100765 D1 19940210; ES 2048527 T3 19940316; US 5176041 A 19930105

DOCDB simple family (application)
EP 91107375 A 19910507; DE 4017696 A 19900601; DE 59100765 T 19910507; ES 91107375 T 19910507; US 69945991 A 19910513