

Title (en)
HOT ROUGHING MILL INSTALLATION

Publication
EP 0461743 A3 19920311 (EN)

Application
EP 91301592 A 19910227

Priority
JP 15223390 A 19900611

Abstract (en)
[origin: EP0461743A2] A hot roughing mill installation comprises one or two reversing roughing mills (4) through which a slab(s) of hot metal, in use, passes in a working direction (D). Upstream of the roughing mill(s) is a sizing press (2) which, in use, changes the width of the slab(s) after it has come out of a furnace (1) upstream of the sizing press (2). Downstream of the roughing mill(s) is a coil box (5) arranged to coil the roughed strip (P). Edgers (3), which form a thickened portion on each side of the slab(s), may be located immediately upstream and/or downstream of the or each roughing mill (4), and a rolling mill (6) may additionally be located between the sizing press (2) and the roughing mill(s). <IMAGE>

IPC 1-7
B21B 1/32

IPC 8 full level
B21B 1/02 (2006.01); **B21B 1/34** (2006.01); **B21C 47/02** (2006.01); **B21B 15/00** (2006.01)

CPC (source: EP)
B21B 1/02 (2013.01); **B21B 1/34** (2013.01); **B21B 1/024** (2013.01); **B21B 2015/0057** (2013.01)

Citation (search report)

- [X] US 3803891 A 19740416 - SMITH W
- [X] EP 0327855 A2 19890816 - SCHLOEMANN SIEMAG AG [DE]
- [Y] EP 0368333 A2 19900516 - HITACHI LTD [JP]
- [Y] EP 0294807 A2 19881214 - HITACHI LTD [JP]
- [A] US 4675974 A 19870630 - CONNOLLY RICHARD S [US]
- [A] US 3358358 A 19671219 - JENKS STEPHEN M, et al

Cited by
EP0937512A1; EP0842714A3; EP1160022A3; US6406413B2

Designated contracting state (EPC)
DE FR GB IT

DOCDB simple family (publication)
EP 0461743 A2 19911218; EP 0461743 A3 19920311; EP 0461743 B1 19950111; EP 0461743 B2 19990804; DE 69106596 D1 19950223;
DE 69106596 T2 19950518; DE 69106596 T3 19991223; JP H0446602 A 19920217

DOCDB simple family (application)
EP 91301592 A 19910227; DE 69106596 T 19910227; JP 15223390 A 19900611