

Title (en)
VISUAL DISPLAY

Publication
EP 0463787 A3 19920205 (EN)

Application
EP 91305513 A 19910618

Priority
GB 9013914 A 19900622

Abstract (en)
[origin: EP0463787A2] A visual display has a flicker frequency which is higher than a critical flicker fusion frequency for central vision so that, when viewed directly, no flicker is discernable. The flicker frequency is less than a critical flicker fusion frequency for peripheral vision so that flicker is at least subliminally apparent in the peripheral vision in order to attract attention to the display. A suitable flicker frequency for many purposes is 75 Hz.
<IMAGE>

IPC 1-7
G09G 3/20

IPC 8 full level
G09G 1/16 (2006.01); **G09G 3/36** (2006.01); **G09G 5/00** (2006.01); **H04N 5/208** (2006.01)

CPC (source: EP)
G09G 5/00 (2013.01); **G09G 5/003** (2013.01); **G09G 2320/0247** (2013.01)

Citation (search report)

- [X] DE 3228102 A1 19840202 - LICENTIA GMBH [DE]
- [A] GB 2101948 A 19830126 - REDIFFUSION SIMULATION LTD [GB]
- [A] DE 3603552 A1 19860807 - RCA CORP [US]
- [A] US 4789234 A 19881206 - GINSBURG ARTHUR P [US], et al
- [AP] EP 0406073 A1 19910102 - TELECOMMUNICATIONS SA [FR]
- [X] IEEE TRANSACTIONS ON CONSUMER ELECTRONICS. vol. 35, no. 3, August 1989, NEW YORK US pages 272 - 278; P. Haavisto et al.: "Fractional Frame Rate Up-Conversion Using Weighted Median Filters"
- [X] The Conrac Corporation: "Raster Graphics Handbook (Second Edition)" 1985, Van Nostrand Reinhold, New York
- [A] PATENT ABSTRACTS OF JAPAN vol. 13, no. 347 (P-910) 04 August 1989, & JP-A-01 105925 (FUJI PHOTO FILM) 24 April 1989,

Cited by
CN112992093A; CN109688293A

Designated contracting state (EPC)
DE FR GB IT NL

DOCDB simple family (publication)
EP 0463787 A2 19920102; EP 0463787 A3 19920205; GB 9013914 D0 19900815; JP H04233593 A 19920821

DOCDB simple family (application)
EP 91305513 A 19910618; GB 9013914 A 19900622; JP 17570791 A 19910621