

Title (en)  
METHOD AND SYSTEM FOR CRUSHING AND DRYING A SOLID FUEL

Publication  
**EP 0471060 B1 19930609 (FR)**

Application  
**EP 91905840 A 19910306**

Priority  
FR 9002804 A 19900306

Abstract (en)  
[origin: WO9114133A1] There is a supply of adjustable-temperature gas fed on the one hand to the crusher (1) and on the other to its pre-drying means (16, 17). At the crusher outlet the gas which has passed through it is brought together with the gas which has passed through the pre-drying means to convey the crushed material. The total flow rate QA of gas at the outlet lies between a minimum and maximum and the flow rate Q1 of the gas passing through the crusher is proportional to the quantity Qc of material taken to the crusher. According to the invention, a temperature T to be attained for the gas at the outlet which may depend on the humidity of the material is fixed and the gas supply is adjusted so that it is as hot as possible with the quantity of gas passing through the pre-drying means limited to the minimum.

IPC 1-7  
**F23K 1/00**

IPC 8 full level  
**F23K 1/00** (2006.01); **F23N 5/18** (2006.01)

CPC (source: EP US)  
**F23K 1/00** (2013.01 - EP US); **F23N 5/18** (2013.01 - EP US); **F23N 2221/08** (2020.01 - EP US); **F23N 2225/06** (2020.01 - EP US); **F23N 2225/08** (2020.01 - EP US); **F23N 2237/20** (2020.01 - EP US); **F23N 2239/02** (2020.01 - EP US)

Citation (examination)  
• Revue Alstom, No. 1, 1985, G. Vergniol: "Un broyeur unique par chaudière en chauffe directe", pages 31-40  
• VGB Kraftwerkstechnik, volume 67, no. 12, December 1987, W. Heitmüller et al.: "Rohrkugelmühlen für eine Steinkohlenstaubfeuerung mit direkter Einblasung", pages 1185-1192

Designated contracting state (EPC)  
AT BE DE DK ES FR GB IT NL SE

DOCDB simple family (publication)  
**WO 9114133 A1 19910919**; AT E90440 T1 19930615; DE 69100107 D1 19930715; DE 69100107 T2 19930916; DK 0471060 T3 19931018; EP 0471060 A1 19920219; EP 0471060 B1 19930609; ES 2041558 T3 19931116; JP 3003872 B2 20000131; JP H04505652 A 19921001; US 5191724 A 19930309

DOCDB simple family (application)  
**FR 9100180 W 19910306**; AT 91905840 T 19910306; DE 69100107 T 19910306; DK 91905840 T 19910306; EP 91905840 A 19910306; ES 91905840 T 19910306; JP 50578791 A 19910306; US 77595191 A 19911029