Title (en)

Device for transferring ink in a printing machine.

Title (de

Vorrichtung für das Übertragen von Druckfarbe in einer Druckmaschine.

Title (fr)

Dispositif de transfert d'encre dans une machine à imprimer.

Publication

EP 0475119 B1 19950419 (DE)

Application

EP 91113787 A 19910816

Priority

US 58256090 A 19900914

Abstract (en)

[origin: US5123351A] In a printing press, a ductor assembly for transferring ink from a slowly rotating fountain roll to a rapidly rotating ink receiving roll includes a carriage and first and second idler rolls supported in counterrotating engagement on the carriage. In one embodiment, the ductor assembly moves between a first position in which the first idler roll contacts and picks up ink from the fountain roll, and a second position in which the second idler roll contacts and transfers ink to the ink receiving roll. The ductor assembly is driven to rotate at a speed intermediate the speeds of the fountain roll and the ink receiving roll, in a direction the same as the direction of rotation of the second idler roll about its own axis, and opposite to the direction of rotation of the first idler roll about its axis. When the ductor assembly moves to the second position, the surface of the second idler roll which contacts the ink receiving roll is moving in the same direction as the surface of the ink receiving roll, and is moving with a speed about equal to the speed of the ink receiving roll. This minimizes speed mismatch. In another embodiment, the rotating ductor assembly is fixed in position and the ink receiving roll moves into and out of contact with the ductor assembly.

IPC 1-7

B41F 31/14

IPC 8 full level

B41F 31/30 (2006.01); B41F 31/14 (2006.01)

CPC (source: EP US)

B41F 31/14 (2013.01 - EP US); Y10S 101/32 (2013.01 - EP US)

Citation (examination)

US RE20458 E 19370727

Cited by

DE102004058526A1; DE10158592B4; FR2739588A1; DE102022106368A1

Designated contracting state (EPC)

CH DE FR GB IT LI

DOCDB simple family (publication)

EP 0475119 A1 19920318; **EP 0475119 B1 19950419**; CA 2051463 A1 19920315; CA 2051463 C 19940726; DE 59105236 D1 19950524; JP H04279348 A 19921005; JP H0796295 B2 19951018; US 5123351 A 19920623

DOCDB simple family (application)

EP 91113787 Á 19910816; CA 2051463 A 19910916; DE 59105236 T 19910816; JP 26054091 A 19910912; US 58256090 A 19900914