

Title (en)

Telescopic device with reduced buckling length of the telescopic cylinder.

Title (de)

Teleskopiersystem mit verringelter Knicklänge des Teleskopierzylinders.

Title (fr)

Dispositif télescopique à longueur de flambage du vérin diminuée.

Publication

**EP 0476225 B1 19940727 (DE)**

Application

**EP 91106245 A 19910418**

Priority

DE 9013210 U 19900918

Abstract (en)

[origin: EP0476225A2] After locking bolt connections are released, the individual telescoping sections of a telescopic jib of a crane are extended and retracted with only one single-stage hydraulic piston-cylinder unit and are bolted in the respectively extended or retracted position. One end of the piston-cylinder unit is linked to the jib link piece terminating the inner end of the outer section, and the part of the piston-cylinder unit which is movable relative to the linked part is provided with a hydraulically operable driving device which can be coupled to receptacles of the telescoping sections. So that the telescopic cylinder is stressed with only a smaller buckling length, the piston rod (12) of the piston-cylinder unit (7) is linked to the jib link piece (8). The driving device (19) is arranged in the end area of the cylinder (18) from which the piston rod (12) emerges. <IMAGE>

IPC 1-7

**B66C 23/693**

IPC 8 full level

**B66C 23/693** (2006.01); **B66C 23/70** (2006.01)

CPC (source: EP)

**B66C 23/705** (2013.01)

Cited by

US9085443B2; EP0754646A1; CN104010961A; DE19926131B4; US6474486B1; CN103613007A; EP1153875A1; CN103527558A; EP0661234A1; US5628416A; CN110902582A; US5632395A; AT403041B; CN103171983A; US9701521B2; EP4357292A1; US6601719B2; US8215503B2; EP0943580A3; EP3424868A4; WO2009056122A1; US6520359B2; EP2210853B1

Designated contracting state (EPC)

AT BE DE FR GB IT LU NL

DOCDB simple family (publication)

**EP 0476225 A2 19920325; EP 0476225 A3 19921028; EP 0476225 B1 19940727**; AT E109113 T1 19940815; DE 59102333 D1 19940901; DE 9013210 U1 19910103

DOCDB simple family (application)

**EP 91106245 A 19910418**; AT 91106245 T 19910418; DE 59102333 T 19910418; DE 9013210 U 19900918