

Title (en)  
TERMINAL FOR CIRCUIT BREAKER

Publication  
**EP 0481309 A3 19930317 (DE)**

Application  
**EP 91117003 A 19911005**

Priority  
DE 4032538 A 19901013

Abstract (en)  
[origin: EP0481309A2] A terminal for an electrical circuit breaker, especially a line-protection or fault-current protection circuit breaker, has a terminal frame which has two lateral webs and two connecting longitudinal webs (10, 11; 12, 13), on whose first lateral web (12) a threaded hole (15) is provided for holding a terminal screw. This terminal frame normally interacts with a U-shaped terminal part, the first lateral web (12) being located between the limbs of the latter. The terminal screw passes through the limb which is located outside the first lateral web (12). In order to improve the strength of the terminal frame, the one of the longitudinal webs (11) overhangs the first lateral web (12) with the threaded hole (15) and the first lateral web (12), which is integrally connected to the other longitudinal web (10) and is connected thereto, engages with a projection (18) into a recess (17) on the one longitudinal web (11) and is fixed therein by being peened over, i.e. by plastic deformation. <IMAGE>

IPC 1-7  
**H01H 71/08**

IPC 8 full level  
**H01H 71/08** (2006.01)

CPC (source: EP)  
**H01H 71/08** (2013.01); **H01H 2001/5861** (2013.01); **H01R 4/36** (2013.01)

Citation (search report)  
• [X] US 3265837 A 19660809 - KLEIN KEITH W  
• [X] DE 3724902 A1 19890209 - ASEA BROWN BOVERI [DE]  
• [Y] FR 2321203 A1 19770311 - ALSTHOM CGEE [FR]  
• [A] US 2885654 A 19590505 - NORDEN ALEXANDER R

Cited by  
CN106025607A; EP1926178A1; EP2725660A1; FR2997237A1; CN103779676A; US9153881B2

Designated contracting state (EPC)  
BE DE FR GB IT

DOCDB simple family (publication)  
**EP 0481309 A2 19920422; EP 0481309 A3 19930317; DE 4032538 A1 19920416**

DOCDB simple family (application)  
**EP 91117003 A 19911005; DE 4032538 A 19901013**