

Title (en)  
Intruder detector

Title (de)  
Einbruch-Detektor

Title (fr)  
Détecteur d'intrus

Publication  
**EP 0486018 B1 19970212 (EN)**

Application  
**EP 91119446 A 19911114**

Priority  
DE 4036617 A 19901116

Abstract (en)  
[origin: EP0486018A1] A description is given of an intruder detector having two different detecting devices (10,30) for the same security zone, which triggers an alarm only if both detecting devices respond in a specific way, one detecting device being a glass breakage detecting device which comprises a glass breakage detector (30) and a bandpass filter (35) and the other detecting device being a pressure fluctuation detecting device which comprises a pressure detector (10) and a second bandpass filter (15), it being possible for the pressure detector and the glass breakage detector to be formed by a single sensing element. An alarm is triggered only if both detecting devices are addressed in specific frequency bands.  
<IMAGE>

IPC 1-7  
**G08B 13/16**; **G08B 13/04**; **G08B 19/00**

IPC 8 full level  
**G08B 13/02** (2006.01); **G08B 13/04** (2006.01); **G08B 13/16** (2006.01); **G08B 19/00** (2006.01); **G08B 23/00** (2006.01); **G08B 25/04** (2006.01)

CPC (source: EP KR)  
**G08B 13/04** (2013.01 - EP); **G08B 13/1681** (2013.01 - EP); **G08B 13/189** (2013.01 - KR)

Cited by  
FR2694650A1; KR20030064127A; EP0609932A3; KR20050007998A; WO2008106809A1; WO9323973A1

Designated contracting state (EPC)  
BE DE ES FR GB IT LU NL

DOCDB simple family (publication)  
**EP 0486018 A1 19920520**; **EP 0486018 B1 19970212**; DE 4036617 A1 19920521; DE 69124661 D1 19970327; DE 69124661 T2 19970904; JP H0620164 A 19940128; KR 920010519 A 19920626

DOCDB simple family (application)  
**EP 91119446 A 19911114**; DE 4036617 A 19901116; DE 69124661 T 19911114; JP 32807291 A 19911115; KR 910020319 A 19911115