

Title (en)

Weft yarn handling apparatus in a jet loom

Title (de)

Vorrichtung zum Handhaben von Schussfäden in einer Düsenwebmaschine

Title (fr)

Dispositif pour manipuler des fils de trame dans une machine à tisser à jet

Publication

EP 0488954 B1 19961002 (EN)

Application

EP 91810916 A 19911125

Priority

JP 12444390 U 19901126

Abstract (en)

[origin: EP0488954A1] The weft yarn handling apparatus for a jet looms includes means (8a) for unwinding the weft from a weft supply cheese (3). The length of the unwound weft yarn (Y) is measured and the yarn is stored on a drum (8b) of the measuring and storing device (8). The weft (Y) thus measured and reserved is then transferred to the main nozzle (13) of an air jet loom and then inserted through the shed by fluid injected from the main picking nozzle (13). On the downstream side of the weft measuring and storage device (8) there is a nozzle block arrangement (15; 12, 8a, 15a, 15b, 16) for transferring weft yarn from the measuring and storage device (8) to the main nozzle 13 and in addition means (40) for retaining weft yarn in the case of a weft yarn break. The nozzle block further includes means (22) for cutting the weft (Y) at a predetermined position while said part of the weft (Y) is being retained by said retaining means (40). One cut end of weft yarn (Y) is blown or sucked to a trash box (19) and the other end is guided to the region of suction adjacent to the inlet of weft injection main nozzle (13). The arrangement is operated automatically by a control C, that starts operating when a weft yarn break is detected that required threading of the main nozzle (13). The arrangement provides for a non complicated, fast threading of the main nozzle (13) and low failure rate. <IMAGE>

IPC 1-7

D03D 47/34

IPC 8 full level

D03D 47/34 (2006.01)

CPC (source: EP)

D03D 47/34 (2013.01)

Cited by

EP0544623A1

Designated contracting state (EPC)

BE DE FR IT

DOCDB simple family (publication)

EP 0488954 A1 19920603; EP 0488954 B1 19961002; DE 69122477 D1 19961107; DE 69122477 T2 19970430; JP 2584991 Y2 19981111; JP H0481985 U 19920716

DOCDB simple family (application)

EP 91810916 A 19911125; DE 69122477 T 19911125; JP 12444390 U 19901126