

Title (en)

Axially adjustable register pin

Title (de)

Axial verstellbarer Registerstift

Title (fr)

Téton de positionnement axialement ajustable

Publication

EP 0490179 B1 19960417 (DE)

Application

EP 91120381 A 19911128

Priority

DE 4038920 A 19901206

Abstract (en)

[origin: JPH04272857A] PURPOSE: To obtain a register pin arranged, adjustably in the axial direction, in a groove made in the plate cylinder of a rotary press in which the register can be positioned while being adjusted individually in the axial direction on the plate cylinder. CONSTITUTION: The register pin 11 has a register part 13 and a fixed part 12 having at least two elongated holes 17; 19, 21 shifted each other by 90 deg.. One elongated holes 17; 19 directing in the axial direction are provided for containing fixing means 24; 26 and the other elongated holes 21 is provided for containing an adjusting means 33.

IPC 1-7

B41F 27/00; **B41F 13/16**; **B41F 27/12**

IPC 8 full level

B41F 13/16 (2006.01); **B41F 27/00** (2006.01); **B41F 27/12** (2006.01)

CPC (source: EP US)

B41F 13/16 (2013.01 - EP US); **B41F 27/005** (2013.01 - EP US); **B41F 27/1243** (2013.01 - EP US)

Cited by

DE10020910B4; DE102005008982B3; DE102004023008A1; EP1155838A3; US6732650B2; EP1695825A2; EP0596337B2

Designated contracting state (EPC)

DE FR GB IT SE

DOCDB simple family (publication)

DE 4038920 C1 19920116; DE 59107685 D1 19960523; DE 9017785 U1 19920102; EP 0490179 A1 19920617; EP 0490179 B1 19960417; JP H04272857 A 19920929; JP H0753446 B2 19950607; RU 1830004 C 19930723; US 5156091 A 19921020

DOCDB simple family (application)

DE 4038920 A 19901206; DE 59107685 T 19911128; DE 9017785 U 19901206; EP 91120381 A 19911128; JP 32023891 A 19911204; SU 5010383 A 19911205; US 80239991 A 19911204