

Title (en)
A LOCKING DEVICE

Publication
EP 0499740 A3 19920930 (EN)

Application
EP 91309435 A 19911015

Priority
GB 9102842 A 19910211

Abstract (en)
[origin: EP0499740A2] A locking device 13 adapted to be pressed, during use, into a locking position (c.f. figure 2) and released therefrom by means of a key 19, comprising a body portion 15, having an aperture 17 therein for receiving the key 19 during unlocking, an active portion 23 for effecting locking when the device is depressed and a detent 21, attached to the body portion 15 by means of a resilient web 25, the detent 21 retaining the device 13 in its locking position when depressed, wherein interaction of the key 19 with the locking device 13 bends the resilient web 25, thereby de-activating the detent 21 and enabling the device 13 to be biased back into its unlocked position (c.f. figure 1). Such a locking device is simple to use, efficient at locking and particularly cheap to manufacture. <IMAGE>

IPC 1-7
E05B 13/10; **E05C 19/06**

IPC 8 full level
E05B 13/10 (2006.01); **E05B 35/00** (2006.01); **E05C 19/06** (2006.01)

CPC (source: EP)
E05B 13/10 (2013.01); **E05B 35/008** (2013.01); **E05C 19/06** (2013.01)

Citation (search report)
• [A] GB 2222850 A 19900321 - MAP HARDWARE LIMITED [GB]
• [A] GB 2092658 A 19820818 - GREGG GEOFFREY JOHN
• [A] EP 0396850 B1 19940316 - MAZZUCHELLI KING PLASTI [IT]

Cited by
GB2414764A; GB2288631A; GB2288631B

Designated contracting state (EPC)
AT BE CH DE DK ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)
EP 0499740 A2 19920826; **EP 0499740 A3 19920930**; **EP 0499740 B1 19950308**; AT E119615 T1 19950315; DE 69108006 D1 19950413; DE 69108006 T2 19950720; GB 2252590 A 19920812; GB 9102842 D0 19910327

DOCDB simple family (application)
EP 91309435 A 19911015; AT 91309435 T 19911015; DE 69108006 T 19911015; GB 9102842 A 19910211