

Title (en)

COOKING UNIT WITH A CLOSABLE COOKING CHAMBER

Publication

**EP 0504555 A3 19930707 (DE)**

Application

**EP 92101075 A 19920123**

Priority

DE 4109565 A 19910322

Abstract (en)

[origin: EP0504555A2] The cooking unit has a control device with a moisture sensor which determines the respectively current degree of moisture in the carried-off vapours of the product being cooked and uses it for controlling the heating unit. According to the invention, there is arranged in the outlet duct for the vapours a condensate collector made of heat-conducting material, to which heat energy is supplied by condensation of the vapour. This heat energy is carried off to the outside by a regulating device, the energy value, which is necessary for carrying off this heat energy, being used as a control value for the control device. <IMAGE>

IPC 1-7

**F24C 7/08**; H05B 6/68

IPC 8 full level

**F24C 7/02** (2006.01); **F24C 7/08** (2006.01); **F24C 15/20** (2006.01); **H05B 6/68** (2006.01)

CPC (source: EP)

**F24C 7/08** (2013.01); **F24C 15/2007** (2013.01)

Citation (search report)

- [A] DE 3209541 A1 19830929 - BOSCH SIEMENS HAUSGERAETE [DE]
- [A] EP 0279065 A2 19880824 - BUDERUS KUECHENTECHNIK [DE]
- [A] PATENT ABSTRACTS OF JAPAN vol. 006, no. 228 (M-171)13. November 1982 & JP-A-57 129 330 ( MATSUSHITA ) 11. August 1982

Cited by

EP2469176A1; EP2306535A3; US8302527B2; US8469017B2; WO2007077160A3; WO2006056305A1; EP3412973B1

Designated contracting state (EPC)

AT CH DE ES FR GB IT LI NL SE

DOCDB simple family (publication)

**EP 0504555 A2 19920923**; **EP 0504555 A3 19930707**; **EP 0504555 B1 19950726**; AT E125614 T1 19950815; DE 4109565 A1 19920924; DE 4109565 C2 19990506; DE 59202998 D1 19950831; ES 2077884 T3 19951201; JP H0587345 A 19930406

DOCDB simple family (application)

**EP 92101075 A 19920123**; AT 92101075 T 19920123; DE 4109565 A 19910322; DE 59202998 T 19920123; ES 92101075 T 19920123; JP 6470992 A 19920323