

Title (en)

CLOSED CUP WITH A MOUTH PIECE AND A CABINET TO AID THE CUP'S USE

Publication

EP 0509888 A3 19930210 (FR)

Application

EP 92401012 A 19920410

Priority

- FR 9104708 A 19910417
- FR 9104709 A 19910417

Abstract (en)

[origin: EP0509888A2] The invention relates to a cup (1), which is equipped with a flexible mouthpiece (5) which contains a conduit (15) equipped at the level of its end with a flexible valve (16) opening by pinching of the mouthpiece. During use, the conduit (15) is in communication with a container (7) which contains the drink. The wall of the container (7) has, due to its constructional material and/or its structural arrangement, an elasticity such that it expands when a liquid is injected into the container (7) and exerts, on this liquid, a pressure tending to expel the liquid from the container (7). The invention also relates to a cabinet for aiding handling of the said cup (1), comprising at least one filling zone and one washing zone. <IMAGE>

IPC 1-7

B65D 47/22; **B65D 83/00**; **B67D 1/00**; **A47G 19/22**

IPC 8 full level

A47G 19/22 (2006.01); **B65D 1/02** (2006.01); **B65D 83/00** (2006.01); **B67D 1/00** (2006.01)

CPC (source: EP US)

A47G 19/2272 (2013.01 - EP US); **B65D 1/0292** (2013.01 - EP US); **B65D 83/0061** (2013.01 - EP US); **B67D 1/0002** (2013.01 - EP US); **Y10S 141/01** (2013.01 - EP US)

Citation (search report)

- EP 0326743 A2 19890809 - COY PETER
- US 4875508 A 19891024 - BURKE II ROBERT W [US], et al
- FR 2024656 A5 19700828 - LATHAM PETER, et al
- WO 8706457 A1 19871105 - ERGONOMI DESIGN GRUPPEN AB [SE], et al
- US 4629589 A 19861216 - GUPTA ASHIS S [US], et al

Cited by

FR2756470A1; WO9843882A1; WO9824710A3

Designated contracting state (EPC)

DE ES GB IT NL

DOCDB simple family (publication)

EP 0509888 A2 19921021; **EP 0509888 A3 19930210**; **EP 0509888 B1 19960327**; DE 69209353 D1 19960502; DE 69209353 T2 19961010; ES 2084955 T3 19960516; US 5273086 A 19931228

DOCDB simple family (application)

EP 92401012 A 19920410; DE 69209353 T 19920410; ES 92401012 T 19920410; US 86900592 A 19920416