

Title (en)

Motorization of the locking mechanism of a door with a linear bolt.

Title (de)

Motorisierung des Schlossmechanismus einer Tür mit einem linearen Riegel.

Title (fr)

Motorisation du verrouillage d'une porte à pênes linéaires.

Publication

EP 0510286 A1 19921028 (FR)

Application

EP 91401110 A 19910425

Priority

EP 91401110 A 19910425

Abstract (en)

Device for motorising the locking mechanism of doors with linear, perimetric bolts, consisting of a frame comprising an endless screw driven by two DC electrical motors. The displacement of the bolt driven by the endless screw causes the rotation of a drive arm which causes, in turn, the rotation of a driven arm. In the anti-break-in version, the arms are secured to one another by the core of an electromagnet, the coil of which, when supplied with power, separates the two arms, while, in the anti-panic version, the driven arm, totally separated from the drive arm, is equipped with a return spring which is tensioned by an electromagnet, the supply of which only needs to be switched off in order to unlock the door. <IMAGE>

IPC 1-7

E05B 47/00

IPC 8 full level

E05B 47/00 (2006.01)

CPC (source: EP)

E05B 47/0012 (2013.01); **E05B 2047/0013** (2013.01); **E05B 2047/0023** (2013.01); **E05B 2047/0024** (2013.01)

Citation (search report)

- [X] FR 2333923 A1 19770701 - KIEKERT SOEHNE ARN [DE]
- [A] DE 1022117 B 19580102 - WILHELM NOLTE

Cited by

CN113944402A

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0510286 A1 19921028

DOCDB simple family (application)

EP 91401110 A 19910425