

Title (en)  
Resilient squeeze dispenser for viscous products.

Title (de)  
Elastischer Spender für viskose Produkte.

Title (fr)  
Distributeur élastique pour des produits visqueux.

Publication  
**EP 0510388 A2 19921028 (EN)**

Application  
**EP 92105510 A 19920331**

Priority  
EP 91830168 A 19910426

Abstract (en)  
A dispenser of viscous products comprises an outer container (1), extending along a longitudinal axis (X-X) which would generally lie vertical, with at least one elastically deformable side wall (6,7), a closed bottom (2), and a top (3) provided with an opening (4) defined by a rim (5), a flexible bag (13) placed inside said outer container (1), said bag (13) having a mouth (12) and being intended for containing the viscous product, a plate-like element (8) positioned across the opening (4) in the container (1) top and being connected to the rim (5) of the latter, said plate-like element (8) being provided with an axial passageway, (10) parallel to the longitudinal axis (X-X) of the outer container (1), having a collar (11) projected inwardly of said outer container, said bag (13) having its mouth (12) sealed around said collar (11), a head (27) provided in its inner side with a viscous product delivery conduit (28) which has one end (30) provided with a delivery orifice (29) and an opposite end (32) provided with an inlet orifice (31) in communication with the axial passageway (10) through said plate-like element (8), said head (27) including connecting means (37) for being connected to the rim (5) of the opening (4) in the top of said outer container (1), a first one-way valve means (34) placed in said viscous product delivery conduit (28) and opening in the direction toward said delivery orifice (29), and a second one-way valve means (25) opening in the direction toward the inner side of the outer container (1). The dispenser includes a bag opener consisting of two pairs of elastically divergent legs (16,17,16a,17a) projecting from an annular support (15) connected to said plate-like element (8), said legs extending inside said bag (13) and applying a pressure force to the bag (13) directed toward the outer container (1). <IMAGE>

IPC 1-7  
**B65D 83/00**

IPC 8 full level  
**B65D 83/00** (2006.01); **B05B 11/00** (2006.01)

CPC (source: EP)  
**B65D 83/0055** (2013.01); **B65D 2231/001** (2013.01)

Cited by  
AU694987B2; NL2028309B1; WO9519199A1; WO9310020A1; WO2022250537A1; EP4245499A2

Designated contracting state (EPC)  
AT BE CH DE DK ES FR GB GR IT LI LU MC NL PT SE

DOCDB simple family (publication)  
**EP 0510388 A2 19921028; EP 0510388 A3 19940216; EP 0510388 B1 19960424**; AT E137193 T1 19960515; AU 1402492 A 19921029; AU 643608 B2 19931118; BR 9201525 A 19921201; CA 2065824 A1 19921027; DE 69210082 D1 19960530; DE 69210082 T2 19961121; ES 2086571 T3 19960701; JP H05112376 A 19930507; MX 9201845 A 19921030

DOCDB simple family (application)  
**EP 92105510 A 19920331**; AT 92105510 T 19920331; AU 1402492 A 19920403; BR 9201525 A 19920424; CA 2065824 A 19920410; DE 69210082 T 19920331; ES 92105510 T 19920331; JP 9979792 A 19920420; MX 9201845 A 19920422