

Title (en)

Method for applying a deformation to hair using a hair curler, and hair curler for working out this method.

Title (de)

Verfahren zum Anbringen einer Verformung an Haaren mittels eines Wicklers und Wickler zur Durchführung dieses Verfahrens.

Title (fr)

Procédé pour appliquer une déformation à des cheveux en utilisant un bigoudi, et bigoudi pour la mise en oeuvre d'un tel procédé.

Publication

**EP 0511892 B1 19941026 (FR)**

Application

**EP 92401085 A 19920417**

Priority

FR 9105289 A 19910430

Abstract (en)

[origin: JPH05192213A] PURPOSE: To further extend the life of a new style after letting hair down by heating a hair curler to a higher temperature, and increasing the periphery where curls are wound. CONSTITUTION: A cylindrical component 2 is provided with a vertical slit 3, and it must be made of a material having the phase transition temperature lower than the relatively low limit of about 60 deg.C, for example, to prevent hair from being singed. Curls M are pressed to the surface of the component 2 and held by a fastening means at the starting temperature equal to be ambient temperature to prevent the relative slip of the hair. The component 2 and curls M are then exposed to a temperature rise sufficient to exceed the phase transition temperature of the material of the component 2. The cross section of the component 2 is opened to generate the elongation of the hair of the curls M, and the elongation of about 3% corresponding to the peripheral change of the cross section is generated, for example. This hair redoing exceeds the slip threshold value, i.e., slip limit value, of the hair at the elongation of about 2-2.5%, and an improved result is produced from the life of the hairstyle redoing applied to the hair in particular.

IPC 1-7

**A45D 2/00**; **A45D 2/24**

IPC 8 full level

**A45D 2/02** (2006.01); **A45D 2/00** (2006.01); **A45D 2/24** (2006.01); **A45D 2/36** (2006.01); **A45D 6/14** (2006.01)

CPC (source: EP US)

**A45D 2/00** (2013.01 - EP US); **A45D 2/24** (2013.01 - EP US); **A45D 6/14** (2013.01 - EP US)

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI NL PT SE

DOCDB simple family (publication)

**EP 0511892 A1 19921104**; **EP 0511892 B1 19941026**; AT E113177 T1 19941115; CA 2067264 A1 19921031; DE 69200566 D1 19941201; DE 69200566 T2 19950614; ES 2062872 T3 19941216; FR 2675985 A1 19921106; FR 2675985 B1 19930813; JP H05192213 A 19930803; US 5280795 A 19940125

DOCDB simple family (application)

**EP 92401085 A 19920417**; AT 92401085 T 19920417; CA 2067264 A 19920427; DE 69200566 T 19920417; ES 92401085 T 19920417; FR 9105289 A 19910430; JP 13569892 A 19920430; US 87377992 A 19920427