

Title (en)

Spray closure for a container.

Title (de)

Sprühverschluss für einen Behälter.

Title (fr)

Capuchon pulvérisateur pour réservoir.

Publication

**EP 0522459 B1 19951004 (DE)**

Application

**EP 92111280 A 19920703**

Priority

DE 4122364 A 19910705

Abstract (en)

[origin: EP0522459A1] Spray closure (14) for a container (10) which can only be actuated in an inverted position and consists of an insertion element (16) which can be inserted into the neck opening (12) and of a cap (22) which can be rotated between a closed position and a spray position. An air pipe (30) projects into the part of the container which contains air (34) and has a coaxial air channel (32) which opens into an outlet bore (42) in the end side (48) of the insertion element (16). The diameter of the outlet bore (42) of the air pipe (30) is dimensioned to be smaller than the inner diameter of the air pipe (30). The insertion element (16) has at least one fluid bore (38) which connects the interior (36) of the container (10) in each case to a fluid channel (40) which opens into the outlet bore (42) of the air pipe (30). The cross-sections of the fluid bore (30) and the fluid channel (40) are dimensioned to be so small that fluid can only pass into the outlet bore (42) of the air channel (32) when the container is actuated. The outlet bore (42) of the air pipe (30) is connected in the open rotation position to an outlet opening (24) in the cap (22). The spray is precisely controllable. <IMAGE>

IPC 1-7

**B05B 11/04**; **B65D 83/44**

IPC 8 full level

**B05B 11/00** (2006.01); **B05B 11/04** (2006.01); **B65D 83/44** (2006.01)

CPC (source: EP)

**B05B 11/0059** (2013.01); **B05B 11/0097** (2013.01); **B05B 11/043** (2013.01)

Cited by

CN111013681A; WO0211895A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI NL

DOCDB simple family (publication)

**EP 0522459 A1 19930113**; **EP 0522459 B1 19951004**; AT E128648 T1 19951015; DE 4122364 A1 19930107; DE 4122364 C2 19930415; DE 59203882 D1 19951109

DOCDB simple family (application)

**EP 92111280 A 19920703**; AT 92111280 T 19920703; DE 4122364 A 19910705; DE 59203882 T 19920703