

Title (en)
FACSIMILE MAIL SYSTEM

Publication
EP 0527502 A3 19931118 (EN)

Application
EP 92113882 A 19920814

Priority
JP 20449091 A 19910814

Abstract (en)
[origin: EP0527502A2] A facsimile mail system comprising mail center equipment, a plurality of telephone sets (3a,3b) connected to the mail center equipment via lines and a telephone exchange (2), and a plurality of facsimile machines (3,4) each connected to the respective telephone sets (3a,3b). Conditions for distributing received facsimile information are set beforehand per calling line. If facsimile information is transmitted by designation of a push-button signal, the information is distributed according to the instructions designated by the push-button signal; if facsimile information is transmitted by designation of an optical mark reader sheet, the information is distributed according to the instructions designated by that sheet. If neither push-button signal designation nor optical mark reader sheet designation is provided, the received information is automatically distributed as per the distribution conditions previously established for the calling line in question. <IMAGE>

IPC 1-7
H04N 1/32

IPC 8 full level
H04N 1/00 (2006.01); **H04N 1/32** (2006.01); **H04N 1/333** (2006.01)

CPC (source: EP US)
H04N 1/00366 (2013.01 - EP US); **H04N 1/32037** (2013.01 - EP US); **H04N 1/32064** (2013.01 - EP US); **H04N 1/32128** (2013.01 - EP US); **H04N 1/324** (2013.01 - EP US); **H04N 1/32411** (2013.01 - EP US); **H04N 1/32416** (2013.01 - EP US); **H04N 1/33323** (2013.01 - EP US); **H04N 1/33369** (2013.01 - EP US); **H04N 1/33376** (2013.01 - EP US); **H04N 1/32112** (2013.01 - EP US); **H04N 2201/3205** (2013.01 - EP US); **H04N 2201/3214** (2013.01 - EP US); **H04N 2201/3216** (2013.01 - EP US); **H04N 2201/3218** (2013.01 - EP US); **H04N 2201/3242** (2013.01 - EP US)

Citation (search report)
• [Y] US 4941170 A 19900710 - HERBST NOEL M [US]
• [A] EP 0398184 A2 19901122 - SHARP KK [JP]
• [Y] PATENT ABSTRACTS OF JAPAN vol. 15, no. 308 (E-1097)7 August 1991 & JP-A-3 109 854 (FUJITSU LTD) 9 May 1991
• [A] IBM TECHNICAL DISCLOSURE BULLETIN vol. 33, no. 11, April 1991, ARMONK(US) pages 479 - 480 ANONYMOUS 'Sna network fax gateway conversions and routing'
• [A] PATENT ABSTRACTS OF JAPAN vol. 12, no. 72 (E-588)5 March 1988 & JP-A-62 213 467 (FUJITSU LTD) 19 September 1987
• [A] PATENT ABSTRACTS OF JAPAN vol. 15, no. 191 (E-1068)16 May 1991 & JP-A-3 050 932 (NEC CORP.) 5 March 1991

Cited by
ES2078161A2; FR2726956A1; EP1189423A3; EP0940969A3; EP1271919A3; WO9501040A1; WO9716919A3; WO9615619A1

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
EP 0527502 A2 19930217; EP 0527502 A3 19931118; EP 0527502 B1 19981028; DE 69227420 D1 19981203; DE 69227420 T2 19990422; JP 2546557 B2 19961023; JP H0548649 A 19930226; US 5257112 A 19931026

DOCDB simple family (application)
EP 92113882 A 19920814; DE 69227420 T 19920814; JP 20449091 A 19910814; US 92917092 A 19920811