

Title (en)  
DEVICE FOR SLIDING MECHANICALLY RESILIENT SEALING PLUGS ON ELECTRICAL CABLES

Publication  
**EP 0533045 A3 19930721 (DE)**

Application  
**EP 92115402 A 19920909**

Priority  
DE 4131051 A 19910918

Abstract (en)  
[origin: EP0533045A2] In the case of a device for mechanically positioning and pushing elastic sealing plugs onto electrical cables, a transfer element is required which temporarily holds the sealing plugs which are passed to the end of a linear conveyor and are sorted in a row, and is then moved into alignment by means of a plunger which pushes said plugs out of the holders onto the cable end. In order to provide a cost-effective, space-saving device, it is proposed to support the plunger in the region between the linear conveyor and the cable end such that it can rotate and to allow it to form the transfer element itself, at the same time, for the sealing plugs. In the first rotation position, the plunger is not only aligned with the sealing plugs which are fed correctly in the linear conveyor but also carries out an axial picking movement for skewering and removing the sealing plug. The plunger then pivots with the picked-up sealing plug into a second rotation position in which the picked-up sealing plug is aligned with the held cable end, and from where the plunger then pushes the sealing plug onto the cable end. <IMAGE>

IPC 1-7  
**H01R 43/00**

IPC 8 full level  
**H01R 43/00** (2006.01)

CPC (source: EP)  
**H01R 43/005** (2013.01)

Citation (search report)  
• [AD] EP 0412329 A2 19910213 - GROTE & HARTMANN [DE]  
• [AD] DE 3347424 A1 19840705 - MEIER GEB KONNERTH ELINORE [DE]  
• [A] EP 0159006 A2 19851023 - SUMITOMO ELECTRIC INDUSTRIES [JP], et al

Cited by  
JP2013531963A; ITPD20120392A1; CN102918724A; EP0875966A1; US5901438A; EP0661780A1; US9496076B2; US9352430B2; WO2011158145A1; US9653865B2; US10348031B2; US9649737B2; US10427267B2; US10814450B2

Designated contracting state (EPC)  
AT BE DE ES FR GB IT PT SE

DOCDB simple family (publication)  
**EP 0533045 A2 19930324; EP 0533045 A3 19930721; EP 0533045 B1 19950628**; AT E124578 T1 19950715; DE 4131051 C1 19930304; DE 59202696 D1 19950803; ES 2075556 T3 19951001

DOCDB simple family (application)  
**EP 92115402 A 19920909**; AT 92115402 T 19920909; DE 4131051 A 19910918; DE 59202696 T 19920909; ES 92115402 T 19920909