

Title (en)

Machine and method for making weakening cuts, particularly on container caps

Title (de)

Vorrichtung und Verfahren zum Formen von Schwächungseinschnitten, insbesondere auf Behälterkappen

Title (fr)

Dispositif et procédé pour former des coupes affaiblissantes, en particulier pour capuchons de récipients

Publication

EP 0533633 B1 19961030 (EN)

Application

EP 92830481 A 19920915

Priority

IT RM910703 A 19910919

Abstract (en)

[origin: EP0533633A2] There is described a machine for making weakening cuts, particularly on caps (28) provided with a side skirt (60) and a top disc (62), said side skirt (60) ending at the bottom in a ring (66) which has a reduced thickness, is provided with a fastening flap (58) and is intended to form a tamper-proof band after the weakening cuts have been made, said machine being characterised in that it comprises in combination: a support surface (40) intended for the ring (66) and provided with cutting teeth (42) generally at right angles to said surface, which are aligned and separated from one another by gaps (44); and a device which holds said ring (66) of said cap (28) in forced contact with said support surface and at the same time brings about a reciprocal rolling movement, without slipping, of the cap (28), relative to the surface (40), in the direction of alignment of said cutting teeth (42), the arrangement being such that the breakable bridges which remain in place on said ring (66), in positions corresponding to the gaps (44), are located along a circumference lying in a plane at right angles to the axis of the cap (28). <IMAGE>

IPC 1-7

B26F 1/00; B65D 41/34; B26F 1/20; B21D 51/50

IPC 8 full level

B26F 1/00 (2006.01); **B26F 1/18** (2006.01)

CPC (source: EP)

B26F 1/0053 (2013.01); **B26F 1/18** (2013.01); **B26F 2210/04** (2013.01)

Cited by

US2021094736A1; EP1243520A1; CN111590683A; CN104070236A; US2022281130A1; EP0621114A1; CN100354081C; EP3800020A1; CN114746233A; US5809860A; CN1056113C; US7673543B2; WO9611856A1; WO9524299A1; US6817276B1; US7059232B2; WO2004004993A1; WO2021063776A1; EP4037881A1; WO2020247319A1

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR LI LU MC NL PT SE

DOCDB simple family (publication)

EP 0533633 A2 19930324; **EP 0533633 A3 19930818**; **EP 0533633 B1 19961030**; AT E144738 T1 19961115; DE 69214907 D1 19961205; DE 69214907 T2 19970515; DK 0533633 T3 19970324; ES 2095449 T3 19970216; GR 3022352 T3 19970430; IT 1250101 B 19950330; IT RM910703 A0 19910919; IT RM910703 A1 19930319; ZA 926999 B 19930510

DOCDB simple family (application)

EP 92830481 A 19920915; AT 92830481 T 19920915; DE 69214907 T 19920915; DK 92830481 T 19920915; ES 92830481 T 19920915; GR 970400100 T 19970122; IT RM910703 A 19910919; ZA 926999 A 19920914