

Title (en)

Device for screwing to containers caps or plugs provided with outer knurling by a predetermined, constant driving torque

Title (de)

Vorrichtung zum drehmomentbegrenzenden Aufschrauben von mit Aussenkehlungen versehenen Drehverschlusskappen auf Behältnissen

Title (fr)

Dispositif de vissage sur récipients de bouchons filetés avec des stries extérieurs par un prédéterminé, constante moment de torsion

Publication

EP 0536460 B1 19970709 (EN)

Application

EP 91830419 A 19911008

Priority

EP 91830419 A 19911008

Abstract (en)

[origin: EP0536460A1] A device for screwing to containers pre- threaded caps or plugs provided with outer knurling by a predetermined, constant driving torque, even of extremely limited amount, comprising a main body 1 which is made integral with the machine spindle and in which a "spline" shaft 4 rotating together with the main body is supported, said body being able to axially shift and being held in the advanced position by two springs; a "socket" 15 of very little mass supported by two bearings 9 and then "idle" with respect to the rotation of the spline shaft is provided at the opposite end of the motor shaft within said spline shaft, said socket being internally provided with a toothing steadily engaging the cap inserted thereinto; a set clutch system acting on the socket and connected to the spline shaft so as to rotate together with the latter, said clutch being formed of a magnetic friction 13,14 of very little mass so that, when the cap rotating along with the socket is completely screwed, the opposed resistance causes the friction to slide and the main body of the device together with the spline shaft can rotate while the socket with the cap stops after having provided a driving torque depending on the calibration of the clutch system. <IMAGE>

IPC 1-7

B67B 3/20

IPC 8 full level

B67B 3/20 (2006.01)

CPC (source: EP)

B67B 3/2073 (2013.01)

Cited by

ES2195699A1; CN102707615A; DE102009042147A1; DE102011003074A1; US2015217982A1; US9845230B2; EP0876991A1; US5983596A; CN109573925A; FR2724430A1; CN109455651A; CN113501479A; US9221663B2; US7846395B2; WO9607611A1; WO2011029616A3

Designated contracting state (EPC)

DE ES FR GB IT

DOCDB simple family (publication)

EP 0536460 A1 19930414; EP 0536460 B1 19970709; DE 69126782 D1 19970814; DE 69126782 T2 19980312

DOCDB simple family (application)

EP 91830419 A 19911008; DE 69126782 T 19911008