

Title (en)  
Window system for a building

Title (de)  
Fenstersystem für ein Gebäude

Title (fr)  
Système de fenêtre pour un bâtiment

Publication  
**EP 0537806 B1 19960814 (DE)**

Application  
**EP 92122167 A 19900510**

Priority  
• DE 3915569 A 19890512  
• EP 90108842 A 19900510

Abstract (en)  
[origin: EP0397179A2] A window system is proposed, in which motor-driven windows (41), which are both lockable and tiltable, are connected via microprocessors (43) to a monitoring centre (49), in which the locking and closing state of the individual windows (41) can be displayed via optical display devices (51, 57). The microprocessors (43) are arranged locally adjacent to the windows (41) and connected to a receiver (61) of a wireless remote control, via which the windows can be remote-controlled. The windows (41) are additionally controllable via an operating device (65) of the monitoring centre (49). The remote control device can on the one hand comprise portable transmitters (63) and on the other hand be provided with stationary transmitters (67) which control the windows (41) via sensors (69) according to room air parameters such as for example the relative humidity, the temperature or the CO<sub>2</sub> content of the air. The windows (41) have a locking drive integrated in the handle and a separate tilting drive. A central locking device, which locks the microprocessors (43), makes possible central locking of individual or all windows of the system. <IMAGE>  
[origin: EP0397179A2] The window system has microprocessors (43) coupling the pivoted windows (41) to a central monitoring point (49) which incorporates an optical display for the closed and locked positions of each window (41). The microprocessors (43) lie adjacent the respective windows (41), each incorporating a receiver for remote control signals supplied by the central monitoring point (49), with auxiliary control of each window via a portable remote control transmitter (63) and via stationary control devices (67) receiving room parameter sensor signals. Pref. the sensors (69) detect the relative humidity, the temp. and/or the CO<sub>2</sub> content of the room air.

IPC 1-7  
**E05B 47/00**; **E05F 15/20**; **E05D 15/52**

IPC 8 full level  
**E05B 17/22** (2006.01); **E05B 47/00** (2006.01); **E05B 47/06** (2006.01); **E05C 9/02** (2006.01); **E05D 15/52** (2006.01); **E05F 15/12** (2006.01); **E05F 15/20** (2006.01); **E05F 15/622** (2015.01); **E05F 15/63** (2015.01); **E05F 15/71** (2015.01); **E05F 15/77** (2015.01); **E05B 63/00** (2006.01); **E05C 9/06** (2006.01); **E05C 9/18** (2006.01); **E05F 15/00** (2015.01)

CPC (source: EP)  
**E05B 17/22** (2013.01); **E05B 47/0012** (2013.01); **E05B 47/0603** (2013.01); **E05C 9/02** (2013.01); **E05C 9/066** (2013.01); **E05C 9/185** (2013.01); **E05C 9/24** (2013.01); **E05D 15/52** (2013.01); **E05F 15/622** (2015.01); **E05F 15/63** (2015.01); **E05F 15/71** (2015.01); **E05F 15/77** (2015.01); **E05B 47/0002** (2013.01); **E05B 63/0069** (2013.01); **E05B 2047/0023** (2013.01); **E05B 2047/0068** (2013.01); **E05B 2047/0069** (2013.01); **E05F 15/00** (2013.01); **E05F 15/40** (2015.01); **E05F 15/72** (2015.01); **E05Y 2201/214** (2013.01); **E05Y 2201/24** (2013.01); **E05Y 2201/434** (2013.01); **E05Y 2201/604** (2013.01); **E05Y 2201/626** (2013.01); **E05Y 2201/654** (2013.01); **E05Y 2400/302** (2013.01); **E05Y 2400/354** (2013.01); **E05Y 2400/40** (2013.01); **E05Y 2400/42** (2013.01); **E05Y 2400/51** (2013.01); **E05Y 2400/61** (2013.01); **E05Y 2400/822** (2013.01); **E05Y 2600/458** (2013.01); **E05Y 2600/46** (2013.01); **E05Y 2800/00** (2013.01); **E05Y 2800/21** (2013.01); **E05Y 2800/40** (2013.01); **E05Y 2800/422** (2013.01); **E05Y 2800/70** (2013.01); **E05Y 2800/73** (2013.01); **E05Y 2900/148** (2013.01)

Cited by  
CN112761466A; CN103556900A; CN111379497A; DE9412174U1; DE202008003739U1; EP0844346A3; DE102018102284A1; EP3521537A3; EP0740041A1; EP3995662A1; WO9942690A1

Designated contracting state (EPC)  
AT BE CH DE ES FR GB IT LI NL SE

DOCDB simple family (publication)  
**EP 0397179 A2 19901114**; **EP 0397179 A3 19910123**; **EP 0397179 B1 19950222**; AT E118857 T1 19950315; AT E131899 T1 19960115; AT E141376 T1 19960815; DE 3915569 A1 19901115; DE 59008498 D1 19950330; DE 59009989 D1 19960201; DE 59010457 D1 19960919; EP 0537805 A2 19930421; EP 0537805 A3 19930616; EP 0537805 B1 19951220; EP 0537806 A2 19930421; EP 0537806 A3 19930616; EP 0537806 B1 19960814; EP 0599809 A2 19940601; EP 0599809 A3 19950215; ES 2070945 T3 19950616; JP H03103585 A 19910430

DOCDB simple family (application)  
**EP 90108842 A 19900510**; AT 90108842 T 19900510; AT 92122166 T 19900510; AT 92122167 T 19900510; DE 3915569 A 19890512; DE 59008498 T 19900510; DE 59009989 T 19900510; DE 59010457 T 19900510; EP 92122166 A 19900510; EP 92122167 A 19900510; EP 94100375 A 19900510; ES 90108842 T 19900511; JP 12141290 A 19900514