

Title (en)

Low-contamination impact tool for breaking silicon.

Title (de)

Schlagwerkzeug mit geringer Verunreinigung zum Brechen von Silizium.

Title (fr)

Outil de percussion à faible contamination pour casser le silicium.

Publication

EP 0539097 B1 19941130 (EN)

Application

EP 92309423 A 19921015

Priority

US 78147691 A 19911023

Abstract (en)

[origin: EP0539097A1] The present invention is a low-contamination impact tool especially useful for the breaking of semiconductor-grade silicon into pieces. The low-contamination impact tool comprises a core forming a handle portion (1) and a head portion (2), the head portion (2) contacting a tungsten carbide alloy striking element (4). The core is encapsulated in a synthetic resin material (3). The preferred synthetic resin is urethane. <IMAGE>

IPC 1-7

B25D 1/02

IPC 8 full level

B25D 1/02 (2006.01); **H01L 21/301** (2006.01)

CPC (source: EP KR)

B25D 1/02 (2013.01 - EP); **B25D 9/00** (2013.01 - KR); **B25D 2222/51** (2013.01 - EP); **B25D 2222/69** (2013.01 - EP)

Cited by

EP2141121A1; WO2021037366A1; GB2384741A; CN111727107A; EP3760384A4; EP1338682A3; EP1553214A3; EP2030737A3; CN114127011A; DE102012204050A1; US2014037959A1; US9266741B2; DE102012204050B4; US6874713B2; US7950308B2; WO2007101666A3; US11794330B2; US7694903B2; US8118248B2; TWI777037B; US7270706B2

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

EP 0539097 A1 19930428; **EP 0539097 B1 19941130**; CA 2081127 A1 19930424; DE 69200756 D1 19950112; DE 69200756 T2 19950406; JP H06218677 A 19940809; KR 100207163 B1 19990715; KR 930007591 A 19930520

DOCDB simple family (application)

EP 92309423 A 19921015; CA 2081127 A 19921022; DE 69200756 T 19921015; JP 28593592 A 19921023; KR 920019583 A 19921023