

Title (en)

Method of preparing a feed screw for processing plastics.

Title (de)

Verfahren zur Herstellung einer Förderschnecke zur Anwendung in der Kunststoffindustrie.

Title (fr)

Procédé de réalisation de vis sans fin transporteuses utilisables dans l'industrie de matières plastiques.

Publication

**EP 0542631 A1 19930519 (EN)**

Application

**EP 92403059 A 19921113**

Priority

US 79151091 A 19911114

Abstract (en)

Preparation of feed screw having a wear resistant alloy coating thereon for the injection molding or extrusion of plastic. Nickel-based alloys that have shown themselves to be compatible with inlaid barrel liners by virtue of similar wear ratios, modulus of elasticity, ultimate yield strength, and linear thermal coefficients of expansion, are sprayed at high velocity onto a heated feed screw to mechanically bond the alloy to the feed screw. The alloy is then fused to the feed screw in a controlled manner creating a considerably more dense and more amorphous structure that offers a longer lasting and more wear resistant metallurgically bonded coating between the substrate and the alloy. Following the fusing process, the feed screw and alloy thereon is heated and allowed to cool in a highly controlled environment to produce a crack-free dense coating of the alloy on the screw substrate.  
<IMAGE>

IPC 1-7

**B29C 47/60; C23C 4/18**

IPC 8 full level

**C23C 4/18** (2006.01); **B29C 48/03** (2019.01)

CPC (source: EP US)

**B29C 48/507** (2019.01 - EP US); **B29C 48/509** (2019.01 - EP US); **C23C 4/18** (2013.01 - EP US); **B29C 48/03** (2019.01 - EP US);  
**Y10S 428/937** (2013.01 - EP US); **Y10T 428/12139** (2015.01 - EP US); **Y10T 428/12944** (2015.01 - EP US)

Citation (search report)

- [YD] US 4863661 A 19890905 - MADDY WOODROW D [US]
- [Y] DE 3703205 A1 19881013 - CASTOLIN SA [CH]
- [A] DE 3740916 A1 19890615 - KRAUSS MAFFEI AG [DE]
- [A] US 3642519 A 19720215 - TINER NATHAN A, et al
- [A] EP 0438971 A1 19910731 - SULZER AG [CH]
- [A] Derwent Publications Ltd., London, GB; AN 84-240277 C 39 & JP-A-59 143 061 (MITSUBISHI HEAVY IND KK) 16 August 1984
- [A] PATENT ABSTRACTS OF JAPAN vol. 011, no. 075 (C-408)6 March 1987 & JP-A-61 230 760 (HITACHI ZOSEN CORP ) 15 October 1986

Cited by

US6634781B2; DE102008060494A1

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

**EP 0542631 A1 19930519; EP 0542631 B1 19951018; AT E129293 T1 19951115; DE 69205545 D1 19951123; DE 69205545 T2 19960321;**  
US 5198268 A 19930330

DOCDB simple family (application)

**EP 92403059 A 19921113; AT 92403059 T 19921113; DE 69205545 T 19921113; US 79151091 A 19911114**