

Title (en)  
Heating device

Title (de)  
Heizeinrichtung

Title (fr)  
Dispositif de chauffage

Publication  
**EP 0548655 B1 19970514 (DE)**

Application  
**EP 92120876 A 19921208**

Priority  
AT 246991 A 19911212

Abstract (en)  
[origin: EP0548655A1] Heating device with a burner acting upon a heat exchanger and a waste gas pipe made of a combustible or only limitedly temperature-resistant material, in the connection region of which to a combustion chamber receiving the burner a safety temperature limiter is arranged, which, when a given temperature is exceeded, emits a signal which influences the fuel supply of the burner. In order, in the case of such a burner, to avoid a predetermined temperature of the waste gas being exceeded, it is envisaged that the safety temperature limiter is formed by a temperature sensor (13), which is arranged in the waste gas line (10), and an evaluating circuit (14) which processes the signals of the sensor and which comprises a threshold switch, which causes the burner (2) to be switched off when the threshold is exceeded, and a control circuit which, when a predetermined threshold is approached, emits a signal which influences the output adjustment of the burner (2) with the effect of a reduction thereof. <IMAGE>

IPC 1-7  
**F23N 5/24**; **F23N 5/02**

IPC 8 full level  
**F23N 5/02** (2006.01); **F23N 5/24** (2006.01)

CPC (source: EP)  
**F23N 5/022** (2013.01); **F23N 5/242** (2013.01); **F23N 2223/08** (2020.01); **F23N 2225/10** (2020.01); **F23N 2225/21** (2020.01); **F23N 2233/06** (2020.01); **F23N 2235/14** (2020.01); **F23N 2235/16** (2020.01); **F23N 2237/10** (2020.01)

Cited by  
EP0664421A1; EP0892215A3; GB2358915A; EP1130343A3

Designated contracting state (EPC)  
AT BE CH DE DK ES FR GB GR IE IT LI LU NL PT SE

DOCDB simple family (publication)  
**EP 0548655 A1 19930630**; **EP 0548655 B1 19970514**; AT 401569 B 19961025; AT A246991 A 19960215; AT E153122 T1 19970515; DE 4242382 A1 19930617; DE 59208493 D1 19970619; DK 0548655 T3 19971201

DOCDB simple family (application)  
**EP 92120876 A 19921208**; AT 246991 A 19911212; AT 92120876 T 19921208; DE 4242382 A 19921208; DE 59208493 T 19921208; DK 92120876 T 19921208