

Title (en)
Optical amplification repeating system

Title (de)
Übertrager mit optischer Verstärkung

Title (fr)
Répéteur avec amplification optique

Publication
EP 0554126 B1 19970716 (EN)

Application
EP 93300702 A 19930129

Priority
JP 1585892 A 19920131

Abstract (en)
[origin: EP0554126A1] Disclosed is an optical amplification repeating system having at least one repeater (40) disposed in the middle of an optical transmission line (20, 30) connecting two terminal stations (60, 70) in which a light beam output from an optical amplifier (1-1) is split into at least two split beams, one of the split beams is converted into an electric signal by optical/electrical conversion (4-1), and the signal-to-noise ratio is detected on the basis of the electric signal. With such an arrangement, the signal-to-noise ratio in the repeater can be measured in an in-service state, i.e., while the system is in operation. <IMAGE>

IPC 1-7
H04B 10/08

IPC 8 full level
H01S 3/00 (2006.01); **H04B 10/079** (2013.01); **H04B 10/08** (2006.01); **H04B 10/16** (2006.01); **H04B 10/17** (2006.01); **H04B 10/2507** (2013.01); **H04B 10/29** (2013.01); **H04B 10/293** (2013.01)

CPC (source: EP US)
H01S 3/0014 (2013.01 - EP US); **H04B 10/077** (2013.01 - EP US); **H04B 10/07955** (2013.01 - EP US)

Cited by
US6005695A; GB2268852B; EP0717513A1; EP0703678A3; EP0957595A3; AU2012373829A1; EP2822196A4; EP0714182A3; US5712716A; US5943147A; US9621263B2; WO0186839A1

Designated contracting state (EPC)
FR GB

DOCDB simple family (publication)
EP 0554126 A1 19930804; EP 0554126 B1 19970716; JP H05211482 A 19930820; US 5282074 A 19940125

DOCDB simple family (application)
EP 93300702 A 19930129; JP 1585892 A 19920131; US 1198493 A 19930201